DOULTON HOSPITAL FITTINGS

SELECTION OF CURRENT PATTERNS

ROYAL
Doulton
LONDON

DOULTON & CO., LIMITED.

22502581435

Copyright strictly reserved.

ROYAL DOULTON POTTERIES

BY APPOINTMENT

CATALOGUE *of*
HOSPITAL FITTINGS

DOULTON & CO., LTD.
SPRINGFIELD
DUDLEY, WORC.

Telephone: DUDLEY **2503.**   *Telegrams:* DOULTON, DUDLEY

Head Office:

LAMBETH, LONDON, S.E.1.

Telephone: RELIANCE **1241.**   *Telegrams & Cables:* DOULTON, LONDON.

Codes:
A.B.C. 5th & 6th Editions and A.1. and Lieber. Western Union, 5 Letter Edition. Bentleys.

Home Enquiries and Orders to DUDLEY, Worcs.
Enquiries and Orders for Export to HEAD OFFICE.

Works: LAMBETH, S.E.1.
SPRINGFIELD, DUDLEY, WORCS.
BURSLEM, STOKE-ON-TRENT.
PAISLEY, SCOTLAND.
ERITH, KENT.
ST. HELENS, LANCS.

APRIL, 1935.

ROYAL
Doulton
LONDON

ROYAL
Doulton
LONDON

WELLCOME
LIBRARY
P
9680

CONDITIONS OF SALE

1. The prices in this Catalogue are subject to alteration or withdrawal without notice.

2. Prices and terms are quoted subject to the approval of the account. The prices apply only for the quantities given in the quotation. The right to withdraw unaccepted quotations without notice is reserved.

3. Orders from firms who have not an account with the Company should be accompanied by cash or the usual business references.

4. When ordering, date and reference of quotation, if any, should be given.

Orders by telegram or telephone are accepted only at sender's risk, and should always be confirmed in writing.

Responsibility for fittings not exactly suiting special requirements cannot be accepted unless full information and, when necessary, templates or figured drawings, showing positions where goods are to be fixed, are sent.

5. Orders are accepted, and promise for delivery given, dating from receipt of order, conditionally on our being able to secure the necessary labour and material, and without responsibility for delays arising through risks and uncertainties of manufacture, strikes, accidents or other causes beyond our control.

No penalties in respect to delivery are accepted unless specially provided for and accepted by us.

6. Offers for delivery from stock are made subject to goods remaining unsold on receipt of order.

7. The right is reserved to refuse cancellation of orders.

8. Defective goods will be credited or replaced, provided a claim for same is sent immediately after the receipt of goods, and that the defects are due to faulty manufacture, but we cannot accept responsibility for consequential loss.

9. Sizes and weights are approximate only, and no guarantee is given that they can be strictly adhered to.

10. Designs and illustrations are not binding as to details, as modifications and improvements in manufacture and design are introduced from time to time.

11. Packages are charged extra to home country customers, full allowance will be credited only if the packages be returned in good condition, within three months, to the sending works, carriage paid, and advised at the time of despatch. Where straw is charged separately, it will not be credited unless returned. Packages are charged to export customers and are non-returnable.

12. In the case of export orders, prices are based on delivery f.o.b. at the port nearest the manufacturing centre, and goods will be shipped from such port. When placing orders, in cases where goods are required to be despatched immediately on receipt it would be advisable to state that fittings of similar design may be sent in place of those ordered if the latter are not ready, provided there is no increase in price.

13. We do not accept responsibility for Breakage, Marine or War Risks unless otherwise specially arranged. Expenses incurred by us on behalf of customers such as in the prepayment of freight and payment of insurance premiums are subject to a charge for interest.

14. In some cases insurance against breakage in transit from port can be obtained, but instructions to insure must be given, and the cost will be charged on invoice plus interest to cover out-of-pocket expenses.

15. Claims for damage in transit or shortage cannot be entertained unless advised immediately. To protect themselves, customers should at once report any damage, etc., to Carriers at destination, as Railway Companies will not recognise claims unless notified within three days after delivery. We do not accept responsibility for breakage or shortage in the case of goods consigned to Ireland and Channel Islands.

IMPORTANT NOTES

The fittings included throughout this catalogue are of our Standard Quality and pattern. Should it be necessary, owing to Special Regulations of Local Water Companies, etc., or for any other reason, to supply special fittings, with Water Co.'s stamp impressed or otherwise, an extra charge may be involved.

DOULTON FIRECLAY SINKS





No. 247.

No. 247. "LONDON" Sink, in Vulcan Fireclay, with outlet 3½" × 2⅝" (89 × 67*mm*) centre at end. (Reversible).

Outside Sizes.		Weight. Lbs.	Weight. Kilos.	Approx. number per ton weight.
17" × 13" × 5"	(43 × 33 × 13*cm*)	37	17	60
20" × 15" × 5"	(51 × 38 × 13*cm*)	48	22	47
17" × 13" × 6"	(43 × 33 × 15*cm*)	41	19	54
20" × 15" × 6"	(51 × 38 × 15*cm*)	52	24	43
20" × 16" × 6"	(51 × 41 × 15*cm*)	56	25	40
24" × 16" × 6"	(61 × 41 × 15*cm*)	66	30	34
24" × 18" × 6"	(61 × 46 × 15*cm*)	72	33	31
27" × 18" × 6"	(69 × 46 × 15*cm*)	83	38	27
30" × 18" × 6"	(76 × 46 × 15*cm*)	95	43	23
30" × 20" × 6"	(76 × 51 × 15*cm*)	110	50	21
36" × 20" × 6"	(91 × 51 × 15*cm*)	135	61	17
42" × 20" × 6"	(107 × 51 × 15*cm*)	170	77	14
42" × 24" × 6"	(107 × 61 × 15*cm*)	186	85	12
24" × 16" × 8"	(61 × 41 × 20*cm*)	82	38	27
24" × 18" × 8"	(61 × 46 × 20*cm*)	93	42	24
27" × 18" × 8"	(69 × 46 × 20*cm*)	108	49	21
30" × 18" × 8"	(76 × 46 × 20*cm*)	117	53	19
36" × 22" × 8"	(91 × 56 × 20*cm*)	182	83	12
42" × 24" × 8"	(107 × 61 × 20*cm*)	214	97	11
48" × 24" × 8"	(122 × 61 × 20*cm*)	258	117	9
24" × 16" × 10"	(61 × 41 × 25*cm*)	103	47	23
24" × 18" × 10"	(61 × 46 × 25*cm*)	108	49	21
27" × 18" × 10"	(69 × 46 × 25*cm*)	122	56	19
30" × 18" × 10"	(76 × 46 × 25*cm*)	133	60	17
30" × 20" × 10"	(76 × 51 × 25*cm*)	162	74	14
36" × 20" × 10"	(91 × 51 × 25*cm*)	174	79	13

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY SINKS



No. 2011.



No. 2011. "**Belfast**" Sink, in Vulcan Fireclay, with combined open weir overflow and outlet $3\frac{1}{2}'' \times 2\frac{5}{8}''$ (89 × 67*mm*) centre at end. (Reversible).

Outside Sizes		Weight		Approx. number per ton weight.
		Lbs.	Kilos.	
18″ × 15″ × 8″	(46 × 38 × 20*cm*) ...	62	28	36
21″ × 16″ × 8″	(53 × 41 × 20*cm*) ...	80	36	28
24″ × 16″ × 8″	(61 × 41 × 20*cm*) ...	84	38	26
24″ × 18″ × 8″	(61 × 46 × 20*cm*) ...	96	44	23
27″ × 18″ × 8″	(69 × 46 × 20*cm*) ...	110	50	20
30″ × 18″ × 8″	(76 × 46 × 20*cm*) ...	119	54	18
21″ × 16″ × 10″	(53 × 41 × 25*cm*) ...	90	41	25
24″ × 16″ × 10″	(61 × 41 × 25*cm*) ...	105	48	21
24″ × 18″ × 10″	(61 × 46 × 25*cm*) ...	110	50	20
27″ × 18″ × 10″	(69 × 46 × 25*cm*) ...	126	57	18
30″ × 18″ × 10″	(76 × 46 × 25*cm*) ...	135	61	16
30″ × 20″ × 10″	(76 × 51 × 25*cm*) ...	164	75	14
36″ × 18″ × 10″	(91 × 46 × 25*cm*) ...	168	76	13
36″ × 20″ × 10″	(91 × 51 × 25*cm*) ...	176	80	13
42″ × 24″ × 10″	(107 × 61 × 25*cm*) ...	278	126	8
48″ × 24″ × 10″	(122 × 61 × 25*cm*) ...	300	136	7
42″ × 24″ × 12″	(107 × 61 × 30*cm*) ...	293	133	7
48″ × 24″ × 12″	(122 × 61 × 30*cm*) ...	350	159	6

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY SINKS



Sink with Inserta.

This illustration shows a "Belfast" Sink fitted with Teak Inserta.

Teak Insertas or Aluminium Insertas can be fitted to the following types of Sinks :—

"London" Sinks
"Belfast" Sinks
Combination Sinks
Double Sinks
Wash Tubs
Slop Sinks



Section showing Inserta fitted.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY SINKS



No. 1965.

No. 1965. "COMBINATION" Sink and Drainer, in Vulcan Fireclay, with roll edge, combined open weir overflow and outlet 3½″ × 2⅝″ (89×67*mm*) centre at end. (Reversible).

Outside Sizes. (Measured under Roll).		Weight. Lbs.	Weight. Kilos.	Approx. number per ton weight.
30″ × 18″ × 9½″	(76 × 46 × 24*cm*) ...	164	75	14
33″ × 18″ × 9½″	(84 ×46 × 24*cm*) ...	178	81	13
36″ × 18″ × 9½″	(91 × 46 × 24*cm*) ...	198	90	11
36″ × 21″ × 9½″	(91 × 53 × 24*cm*) ...	216	99	10
42″ × 21″ × 9½″	(107 × 53 × 24*cm*) ...	258	117	9
48″ × 21″ × 9½″	(122 × 53 × 24*cm*) ...	326	148	7
48″ × 24″ × 9½″	(122 × 61 × 24*cm*) ...	350	159	6



FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY SINKS



No. 1990.

No. 1990. Cleaners' Draw-off Sink, in Vulcan Fireclay, with roll edge, 12″ (30*cm*) skirting at back, hardwood "Inserta" pad on front edge, and outlet 2½″ × 2″ (63 × 51*mm*) centre at back.

OUTSIDE SIZES
(Measured under roll).
18″ × 14″ × 8″ (46 × 36 × 20*cm*)

Bucket Grating supplied in polished brass, nickel plated brass, chromium plated brass or polished aluminium.

WEIGHT :—

Sink only.			Sink and Grating.	
Lbs.	Kilos.		Lbs.	Kilos.
70	32	...	74	34



FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY HOPPERS



No. 98.

No. 98. "Best's" Slop Hopper, in Vulcan Fireclay, with outside rim and anti-splash rim, base sloping to central spigot outlet 4″ (102*mm*) internal diameter.

Outside Sizes.		Depth at Outside Edge.		Weight.	
				Lbs.	Kilos.
17″ × 17″ (43 × 43*cm*)	...	6″ (15*cm*)	...	44	20
28″ × 17″ (71 × 43*cm*)	...	6″ (15*cm*)	...	70	32

Note.—This Slop Hopper can also be supplied with flushing rim if required.



FOR PRICES SEE SEPARATE PRICE LIST

ROYAL
Doulton
LONDON

DOULTON HOSPITAL SINKS



No. 2011. Sink with Fittings.

No 2011.	Belfast Sink, in Vulcan Fireclay, with combined open weir overflow and outlet 3½″ × 2⅝″ (89 × 67mm) in centre at end. (Reversible). For sizes and weights see page 3.
No. 1977L.	½″ (13mm) or ¾″ (19mm) Bib-valve, screw down, smooth body, capstan head, with wall mount and union for lead. In polished brass, nickel plated brass or chromium plated brass.
No. 1984.	1½″ (38mm) or 2″ (51mm) rubber plug, brass waste and chain and union for lead. Polished, nickel plated or chromium plated.
No. 1818.	Cast iron cantilevers to suit sink fixed against wall or 3″ (76mm) clear of wall. Painted or white porcelain enamelled.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL SINKS



No. 1445.

No. 1445. White Glazed rolled edge Sink, in Vulcan Fireclay, with recess and outlet at back.

Overall Sizes (Excluding Recess).		Weight. Lbs.	Kilos.
24″ × 18″ × 10″ (61 × 46 × 25cm)	...	124	56
30″ × 22″ × 10″ (76 × 56 × 25cm)	...	180	82

No. 1818. Cast iron cantilevers to support sink 1½″ clear of wall at recess. Painted or White porcelain enamelled.

No. 1737. 1½″ (38mm) waste fitting with vulcanite and aluminium overflow tube, polished, nickel plated or chromium plated.

½″ (13mm) hot and cold combined screw down smooth body valves with wall mount and central anti-splash nozzle. Polished, nickel plated or chromium plated brass.

FOR PRICES SEE SEPARATE PRICE LIST

ROYAL
Doulton
LONDON

DOULTON HOSPITAL SINKS



No. 1448.

No. 1448. White Glazed Sink, in Vulcan Fireclay, with cove at back, outlet in centre at back.

Overall Size.		Weight. Lbs.	Weight. Kilos.
30″ × 20″ × 10″ (76 × 51 × 25cm)	...	170	77

No. 1818. Cast iron cantilevers to build into wall. Painted or White porcelain enamelled.

1½″ (38mm) rubber plug, brass waste with removable grating, chain and stay.

1½″ (38mm) White porcelain enamelled waste pipe with shoe to discharge into floor channel.

½″ (13mm) brass hot and cold smooth body valves with wrist action levers, wall mounts and exposed union for lead. Polished, nickel plated or chromium plated.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY CLOSETS



No. 847c.


26¼"
67 C/M.
7"
18 C/M
2"
51 M/M.
3"
75 M/M
16"
41 C/M
8.(20 C/M).
4"
10 C/M
5¼"
13 C/M
4¼"
11 C/M.

No. 847c. "Simplicitas" Closet in Vulcan Fireclay, with back outlet "S" or "P" trap and seat lugs.

White glazed inside and outside.

	Lbs.	Kilos.
Weight :—	60	27

This Closet can also be supplied in the following varieties :—

With "S" trap and vent on right or left hand of trap.
With "P" trap and vent on right or left hand of trap.

Heavyweight Closet with box rim; its strength and appearance make it specially applicable for Hotel, Hospital and other high-class Institutional work.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY CLOSETS



No. 1061.

No. 1061. "Anti-V.D." Closet, in Vulcan Fireclay, with "S" or "P" trap and shaped top with projecting lip; fitted with 1¼″ (32*mm*) double thickness solid mahogany gapped front seat and nickel plated brass pillar hinges.

	Lbs.	Kilos.
Weight :—	52	24

Can also be supplied with the following alternative seats :—

Plain hardwood inserta seat pads.
1¼″ (32*mm*) double thickness oiled teak seat.
1¼″ (32*mm*) double thickness cellulose enamelled seat.

Specially designed for use in Public Conveniences, V.D. Clinics, etc.



PLAN



SECTION

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY CLOSETS



No. 2151.


25¼"
64 c/m.
7"
18 c/m.
15¾"
40 c/m
6" (15 c/m)
4½"
12 c/m
4"
10 c/m

No. 2151. "Health" Closet in Vulcan Fireclay, with back outlet "S" or "P" trap and seat lugs.

White glazed inside and outside.

	Lbs.	Kilos.
Weight :—	56	25

The sloping top is the special feature of this Closet, and this design is strongly supported for Health reasons by modern Medical opinion.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON EARTHENWARE CLOSETS



No. 2032.


25"
64C/M
19¼"
49C/M
7"
18C/M
6"
15C/M
4"
10C/M
4¼"
11C/M
½" (13M/M)
15½"
39C/M

No. 2032. "Health" Closet, in Queensware, with sloping top, seat lugs and back outlet vented "S" trap.

No. 2033. "Health" Closet, as above, but back outlet "P" trap, no vent.

White Glazed inside and outside.

	Closet only.	
	Lbs.	Kilos.
Weight	27	12

No. 2069. Double thickness polished mahogany ramped seat, with chromium plated brass pillar hinges and rubber buffers.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CLOSET SUITES



No. 2032.

Closet suite consisting of :—

No. 2151. White glazed "Health" Closet, in Vulcan Fireclay, with sloping top and back outlet "S" trap;

No. 2069. $1\frac{1}{4}''$ (32*mm*) double thickness polished solid mahogany ramped seat with chromium plated brass pillar hinges and rubber buffers;

No. 162U 3-gallon (13.5 litres) White glazed Vulcan Fireclay "Paisley" cistern and cover; No. 75, White porcelain enamelled cast iron brackets; No. 155, chromium plated ball chain with erinoid handle, and No. 889, chromium plated brass ring guide;

No. 1468A. $1\frac{1}{4}''$ (32*mm*) porcelain enamelled steel flushpipe and clip;

No. 893. Chromium plated inlet connection.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMPACT CLOSETS





No. 2163.

No. 2163. Suite, with No. 2032 White Queensware "Health" Closet with sloping top, back outlet "S" or "P" trap. No. 2069, double thickness polished mahogany ramped seat with brass pillar hinges and rubber buffers. No. 811, 3 gallon (13.5 litres) cistern with shell and cover in White Queensware, non-corrosive internal fittings, painted iron supports, 1½" (38mm) White porcelain enamelled steel flushpipe and No. 893 inlet connection. All exposed brasswork chromium plated.

This Suite can also be supplied with 2½ gallon (11.25 litres) cistern.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CLOSET SUITES



Closet Suite consisting of :—

No. 2006.	White glazed " Alpha " Closet, in Vulcan Fireclay, with back outlet "S" trap and vent;
No. 2041.	$1\frac{1}{4}''$ (32mm) single thickness polished hardwood ring seat with polished brass pillar hinges and rubber buffers;
No. 801.	2 gallon (9 litres) painted cast iron water waste-preventing flat-bottomed cistern with cover, cast iron silent positive action syphon; No. 75, painted cast iron brackets; No. 153, polished brass chain and polished wood handle.
No. 1468A.	$1\frac{1}{4}''$ (32mm) galvanized steel flushpipe and clip;
No. 893A.	Galvanized inlet connection.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CLOSET SUITES



Closet suite consisting of :—

No. 2006.	White glazed " Alpha " closet, in Vulcan Fireclay, with back outlet " S " trap and vent;
No. 2074.	$1\frac{1}{4}''$ (32*mm*) double thickness polished solid mahogany gap-front seat with chromium plated pillar hinges and rubber buffers;
No. 1523.	2-gallon (9 litres) White glazed Vulcan Fireclay " Chute " cistern and cover with all brass internal fittings; No. 75 White porcelain enamelled cast iron brackets; No. 153A chromium plated chain and ebonised handle;
No. 1468A.	$1\frac{1}{4}''$ (32*mm*) chromium plated copper flushpipe and clip;
No. 893.	Chromium plated inlet connection.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMPACT CLOSETS



No. 2219.

No. 2219. Closet Suite, with White glazed " Alpha " Closet with back outlet "S" or "P" trap, in Vulcan Fireclay; $1\frac{1}{4}''$ (32mm) single thickness polished imitation mahogany ring seat with brass pillar hinges and rubber buffers; $2\frac{1}{2}$ gallon (11.25 litres) low level White porcelain enamelled cast iron water waste-preventing flushing cistern with fixing lugs, trigger action fittings, White porcelain enamelled steel flushpipe and brass inlet connection. All exposed brasswork chromium plated.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMPACT CLOSETS



No. 2221.

No. 2221. Closet Suite with White glazed back outlet " Simpact " Closet, in Vulcan Fireclay; $1\frac{1}{4}''$ (32*mm*) single thickness polished solid mahogany seat with back rail, chromium plated butt hinges and rubber buffers; 3-gallon (13.5 litres) low level White glazed Vulcan Fireclay waste-preventing flushing cistern with brass syphon and chromium plated trigger; $1\frac{1}{2}''$ (38*mm*) White porcelain enamelled steel flushpipe, White porcelain enamelled cast iron brackets and chromium plated inlet connection.

The following alternative fittings can also be supplied :—

Cistern of $2\frac{1}{2}$ gallons (11.25 litres) capacity, chromium plated flushpipe, cellulose enamelled seat.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CLOSET SUITES



No. 2089.

No. 2089 Suite consisting of :—

No. 659.	" Melrose " Closet, in White Queensware, with "S" or "P" trap.
No. 2041.	$1\frac{1}{4}''$ (32mm) single thickness polished mahogany ring seat with chromium plated brass pillar hinges and rubber buffers.
No. 801.	2 gallon (9 litres) White porcelain enamelled cast iron water waste-preventing flat-bottomed positive action flushing cistern and cover; No. 75, White porcelain enamelled cast iron brackets; No. 153D, chromium plated brass chain and rubber handle.
No. 1468A.	$1\frac{1}{4}''$ (32mm) chromium plated copper flushpipe and clip.
No. 893.	Chromium plated inlet connection.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMPACT CLOSETS



No. 2105.



No. 2105. Suite, with No. 659 White Queensware "Melrose" Closet, with "S" or "P" trap. No. 2041, 1¼″ (32mm) single thickness polished hardwood ring seat with brass pillar hinges and rubber buffers. No. 811, 3 gallon (13.5 litres) White Queensware cistern and cover, non-corrosive syphon fittings, painted iron brackets, 1½″ (38mm) White porcelain enamelled steel flushpipe, and No. 893 inlet connection. All exposed brasswork chromium plated.

This Suite can also be supplied with the following alternative fittings:—

2 gallons (9 litres) cistern.
2½ gallons (11.25 litres) cistern.
Cover flap to seat.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON COMPACT CLOSETS





No. 2101.

No. 2101. Suite, with No. 2091 White "Doulfort" ware "Erith" syphonic Closet, with back outlet "S" trap and Fig. 1 glass enamelled cast iron outlet piece. No. 2041, $1\frac{1}{4}''$ (32mm) single thickness polished mahogany seat with brass hinges and rubber buffers. No. 815, 3 gallon (13.5 litres) syphon cistern with shell and cover in White "Doulfort" ware, all brass syphon fittings, painted iron brackets. $1\frac{1}{2}''$ (38mm) White porcelain enamelled steel flushpipe and No. 893 inlet connection. All exposed brasswork chromium plated.

"Doulfort" ware is a tough vitrified production, stronger than ordinary earthenware.

This Suite can also be supplied with the following alternative fittings :—

2 or $2\frac{1}{2}$ gallons (9 or 11.25 litres) cistern.
Cover flap to seat.
Outlet pieces, Fig. 2, 3 or 4.
Unpolished brass outlet pieces.



Fig. 1.



Fig. 2.



Fig. 3.



Fig. 4.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMPACT CLOSETS



No. 2156.

No. 2156. Closet Suite with White glazed back outlet "Alpha" Closet, in Vulcan Fireclay, "S" or "P" trap; 1¼″ (32*mm*) single thickness polished mahogany ring seat, chromium plated brass pillar hinges and rubber buffers; 1¼″ (32*mm*) No. 3294 chromium plated brass non-concussive "Oscil" flushing valve regulated to flush 2 or 3 gallons (11 or 13.5 litres); 1¼″ (32*mm*) chromium plated flushpipe and chromium plated inlet connection.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON CLOSET SUITES



Closet suite consisting of :—

No. 1062. White glazed "Corbel" Closet, in Vulcan Fireclay, with "P" trap;

No. 2041. $1\frac{1}{4}''$ (32*mm*) single thickness oiled teak seat with polished brass pillar hinges and rubber buffers;

No. 1523. 3-gallon (13.5 litres) White glazed Vulcan Fireclay "Chute" cistern and cover, with all brass internal fittings; No. 75, White porcelain enamelled brackets; No. 153D, brass chain pull and rubber handle;

No. 1468B. $1\frac{1}{4}''$ (32*mm*) White porcelain enamelled steel flushpipe and clip.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMPACT CLOSETS



No. 2131.

No. 2131. White Glazed "Corbel" Closet, in Vulcan Fireclay, with vertical inlet, "P" trap, and extension for building into wall; solid ebonite non-absorbent seat; heavy chromium plated piliar hinges and rubber buffers; 2½ gallon (11.25 litres) low level white porcelain enamelled cast iron water waste-preventing pedal action flushing cistern; 1½″ (38*mm*) galvanized steel flushpipe enclosed in white porcelain enamelled cast iron casing. All exposed brasswork chromium plated.

This suite is particularly suitable for Asylums, Hospitals for treatment of Contagious Diseases, and Clinics, as personal contact with germ-carrying handles and chains is eliminated.

Height from floor to top of cistern cover, 4′ 1″ (124*cm*).

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON EARTHENWARE LAVATORIES





No. 2802.

Lavatory Suite consisting of :—

No. 2802. White Queensware "GLENROY" Lavatory Basin, with 4″ (10cm) skirting, corner tapholes, soap dishes and secret overflow.

Size of Top.	Size of Basin.		Weight, less Fittings. Lbs.	Kilos.
22″ × 16″ (56 × 41cm)	18¼″ × 10 ″ (46 × 25cm)	...	26	12
25″ × 18″ (63 × 46cm)	21½″ × 11½″ (55 × 29cm)	...	32	14

No. 1569. ½″ (13mm) polished brass hot and cold smooth body pillar valves;

No. 235. 1¼″ (32mm) rubber plug, brass waste and chain, union for lead;

No. 77. Painted cast iron towel rail brackets to screw to wall.

This Lavatory can also be supplied with the following alternative fittings :—

No. 77A. Painted cast iron towel rail cantilevers to build into wall.
Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting.
Stainless steel valves and waste fitting.
White porcelain enamelled towel rail brackets or cantilevers.

This Lavatory can also be supplied in "Doulfort" ware, which is a tough vitrified production, stronger than ordinary earthenware.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON EARTHENWARE LAVATORIES





No. 2800.

Lavatory Suite consisting of :—

No. 2800. White Queensware "NEW OSBORNE" Lavatory Basin, with 4″ (10cm) skirting, corner tapholes, soap dishes and secret overflow.

			Weight, less Fittings.	
Size of Top.		Size of Basin.	Lbs.	Kilos.
20″ × 16″ (51 × 41cm)	...	16″ × 9″ (41 × 23cm)	20	9
22″ × 16″ (56 × 41cm)	...	17″ × 9″ (43 × 23cm)	22	10
25″ × 18″ (63 × 46cm)	...	21″ × 11″ (53 × 28cm)	28	13
27″ × 19″ (69 × 48cm)	...	23″ × 12″ (58 × 31cm)	30	14

No. 1569. ½″ (13mm) polished brass hot and cold smooth body pillar valves;

No. 235. 1¼″ (32mm) rubber plug, brass waste and chain, union for lead;

No. 77. Painted cast iron towel rail brackets to screw to wall.

This Lavatory can also be supplied with the following alternative fittings :—

No. 77A. Painted cast iron towel rail cantilevers to build into wall.
Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting.
Stainless steel valves and waste fitting.
White porcelain enamelled towel rail brackets or cantilevers.

This Lavatory can also be supplied in "Doulfort" ware, which is a tough vitrified production stronger than ordinary earthenware.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON LIGHT FIRECLAY LAVATORIES





No. 823 With Fittings.

Lavatory Suite consisting of :—

No. 823. White Glazed Light Lavatory, in Vulcan Fireclay, with 3″ (76*mm*) skirting, plain frieze and oblong basin with gap overflow.

Size of Top.	Size of Basin.	Weight, less fittings, Lbs.	Weight, less fittings, Kilos.
22″ × 16″ (56*cm* × 41*cm*)	17″ × 10″ (43 × 25*cm*)	40	18
25″ × 18″ (63*cm* × 46*cm*)	20″ × 11½″ (51 × 29*cm*)	50	23

No. 1569. ½″ (13*mm*) polished brass hot and cold smooth body valves;

No. 235. 1¼″ (32*mm*) rubber plug, brass waste and chain, union for lead;

No. 77. Painted cast iron towel rail brackets to screw to wall.

This Lavatory can also be supplied with the following alternative fittings :—

No. 77A. Painted cast iron towel rail cantilevers to build into wall.
Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting
Stainless steel valves and waste fitting.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON LIGHT FIRECLAY LAVATORIES





No. 824 with Fittings

Lavatory Suite consisting of :—

No. 824. White Glazed Light Lavatory, in Vulcan Fireclay, with cut corners, 3″ (76*mm*) skirting, plain frieze and basin with gap overflow.

Size of Top.	Size of Basin.	Weight, less fittings, Lbs.	Kilos.
22″ × 16″ (56*cm* × 41*cm*)	17½″ × 9⅝″ (45 × 25*cm*)	40	18
25″ × 18″ (63*cm* × 46*cm*)	20½″ × 11½″ (52 × 29*cm*)	50	23

No. 1569. ½″ (13*mm*) polished brass hot and cold smooth body valves;

No. 235. 1¼″ (32*mm*) rubber plug, brass waste and chain, union for lead;

No. 77. Painted cast iron towel rail brackets to screw to wall

This Lavatory can also be supplied with the following alternative fittings :—

No. 77A. Painted cast iron cantilevers to build into wall
Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting.
Stainless steel valves and waste fitting.

FOR PRICES SEE SEPARATE PRICE LIST

ROYAL
Doulton
LONDON

DOULTON FIRECLAY LAVATORIES



No. 621 With Fittings.



Lavatory Suite consisting of :—

No. 621. White Glazed Lavatory, in Vulcan Fireclay, with 3" (76*mm*) skirting, oblong basin with anti-splash rim and open weir overflow.

Size of Top.		Size of Basin.		Weight each, less Fittings, Lbs.	Kilos.
21" × 17"	(53 × 43*cm*)	17¼" × 10¾"	(44 × 27*cm*)	75	34
24" × 18"	(61 × 46*cm*)	19½" × 11¾"	(50 × 30*cm*)	79	36
27" × 19"	(69 × 48*cm*)	22½" × 12¾"	(57 × 32*cm*)	90	41

No. 1569. ½" (13*mm*) polished brass hot and cold smooth body valves.

No. 235. 1¼" (32*mm*) rubber plug, brass waste and chain, union for lead.

No. 1818. Painted cast iron cantilevers to build into wall.

This lavatory can also be supplied with the following alternative fittings :—

No. 1818A. Painted cast iron brackets for screwing to wall.
Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting.
Stainless steel valves and waste fitting.

Note :—This lavatory can also be used in ranges with loose overlaps.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY LAVATORIES





No. 2338 With Fittings.

Lavatory Suite consisting of :—

No. 2338. White Glazed Lavatory, in Vulcan Fireclay, with 3" (76*mm*) skirting, bow-front basin with anti-splash rim and open weir overflow.

Size of Top.	Size of Basin.	Weight each, less Fittings, Lbs.	Kilos.
21"×17" (53×43*cm*)	17¼"×10¾" (44×27*cm*)	75	34
24"×18" (61×46*cm*)	19½"×11¾" (50×30*cm*)	79	36
27"×19" (69×48*cm*)	22½"×12¾" (57×32*cm*)	90	41

No. 1569. ½" (13*mm*) polished brass hot and cold smooth body valves;

No. 235. 1¼" (32*mm*) rubber plug, brass waste and chain, union for lead;

No. 1818. Painted cast iron cantilevers to build into wall.

This lavatory can also be supplied with the following alternative fittings :—
No. 1818A. Painted cast iron brackets for screwing to wall.
Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting.
Stainless steel valves and waste fitting.

Note :—This lavatory can also be used in ranges with loose overlaps.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY LAVATORIES



No. 826.

No. 826. White Glazed "PUTNEY" flat back angle Lavatory, in Vulcan Fireclay, with 3″ (76 mm) skirting, open gap overflow, tapholes and soap dishes.

Size of Top.		Size of Basin.	Weight, less Fittings. Lbs.	Kilos.
28½″ × 17″ (72 × 43cm)	...	18″ × 11″ (46 × 28cm)	58	25

No. 1569. ½″ (13mm) polished brass hot and cold smooth body pillar valves.

No. 235. 1¼″ (32mm) rubber plug, brass waste and chain.

No. 1745. 1¼″ (32mm) polished brass bag "P" trap with extension to wall, wall flange and union for lead.

No. 1818B. Painted cast iron cantilevers to build into wall.

This Lavatory can also be supplied with the following alternative fittings :—

Nickel plated valves, waste and trap.
Chromium plated valves, waste and trap.
No. 1818B. White porcelain enamelled cantilevers.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON HOSPITAL LAVATORIES





No. 2300.

This Lavatory is specially suitable for Operating Theatres.

No. 2300. White Glazed round-fronted Lavatory in Vulcan Fireclay with dished top, 3″ (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled Cast Iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) Aluminium and Vulcanite combined waste and overflow with 3″ (76*mm*) flange on waste seating, loose lift-out grid and union for lead; ½″ (13*mm*) chromium plated non-concussive pedal action valves with connecting pipe to central anti-splash jet over basin and unions for lead.

		WEIGHT, LESS FITTINGS.	
OVERALL SIZES.		Lbs.	Kilos.
24″ × 20″ (61 × 51*cm*)	...	56	25
29″ × 23″ (74 × 58*cm*)	...	74	34

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES



No. 2301.



This Lavatory is specially suitable for Operating Theatres.

No. 2301. White Glazed Lavatory in Vulcan Fireclay with plain top, 3″ (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled Cast Iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) chromium plated grated waste with 3″ (76*mm*) flange; 1½″ (38*mm*) chromium plated "P" trap with union for lead and ½″ (13*mm*) chromium plated combined hot and cold valves with elbow action levers and central spray rose, wall flanges and unions for lead.

		Weight, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
24″ × 20″ (61 × 51*cm*)	...	56	25
29″ × 23″ (74 × 58*cm*)	...	74	34

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES





No. 2302.

This Lavatory is suitable for Hospital Wards and Nurses' Rooms.

No. 2302. White Glazed Lavatory in Vulcan Fireclay, with plain top, 3″ (76*mm*) frieze and combined open weir overflow; supported on white porcelain enamelled cast iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) chromium plated waste with union for lead, 3″ (76*mm*) flange, rubber plug and chromium plated chain; ½″ (13*mm*) chromium plated hot and cold screw down smooth body pillar valves.

SIZE OF TOP.	SIZE OF BASIN.	WEIGHT, LESS FITTINGS.	
		Lbs.	Kilos.
27″ × 19″ (69 × 48*cm*)	21″ × 12″ (53 × 30*cm*)	68	31

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES





No. 2303.

This Lavatory is specially suitable for Operating Theatres.

No. 2303. White Glazed Lavatory in Vulcan Fireclay with plain top, 3″ (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled Cast Iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) Aluminium and Vulcanite combined waste and overflow with wall hook, 3″ (76*mm*) flange on waste seating and loose lift-out grid; 1½″ (38*mm*) chromium plated "S" trap with waste pipe and floor flange; ½″ (13*mm*) chromium plated mixing valve with wrist action lever and central wave nozzle, wall flange and unions for lead.

		Weight, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
24″ × 20″ (61 × 51*cm*)	...	56	25
29″ × 23″ (74 × 58*cm*)	...	74	34

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES



No. 2304.



This Lavatory is suitable for Hospital Wards.

No. 2304. White Glazed round-fronted Lavatory in Vulcan Fireclay with dished top, 3″ (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled Cast Iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) Aluminium and Vulcanite combined waste and overflow with wall hook, 3″ (76*mm*) flange on waste seating and loose lift-out grid; 1½″ (38*mm*) chromium plated "S" trap with waste pipe and floor flange, ½″ chromium plated hot and cold screw-down smooth-body pillar valves with unions for lead.

		Weight, less Fittings	
Overall Sizes.		Lbs.	Kilos.
24″ × 20″ (61 × 51*cm*)	...	56	25
29″ × 23″ (74 × 58*cm*)	...	74	34

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES





No. 2305.

This Lavatory is specially suitable for Operating Theatres.

No. 2305. White Glazed round-fronted Lavatory in Vulcan Fireclay with dished top, 3″ (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled Cast Iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) chromium plated grated waste, with 3″ (76*mm*) flange and White Porcelain Enamelled steel waste pipe with shoe discharging into floor channel; ½″ (13*mm*) chromium plated mixing valve with wrist action lever and central spray rose, wall flange and unions for lead.

		Weight, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
24″ × 20″ (61 × 51*cm*)	...	56	25
29″ × 23″ (74 × 58*cm*)	...	74	34

FOR PRICES SEE SEPARATE PRICE LIST

DOULTON HOSPITAL LAVATORIES



No. 2306.



This Lavatory is specially suitable for Operating Theatres.

No. 2306. White Glazed Lavatory in Vulcan Fireclay with plain top, 3″ (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled Cast Iron cantilevers to carry the basin 3″ (76*mm*) clear of wall; fitted with 1½″ (38*mm*) chromium plated knee action waste, 3″ (76*mm*) flange, vulcanite overflow tube and union for lead; ½″ (13*mm*) chromium plated pedal action spring valves with White Porcelain Enamelled Cast iron wall plate and chromium plated connecting pipe to combined spray and jet nozzle over basin, unions for lead.

	Weight, less Fittings	
Overall Sizes.	Lbs.	Kilos.
24″ × 20″ (61 × 51*cm*) ...	56	25
29″ × 23″ (74 × 58*cm*) ...	74	34

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES





No. 2307.

This Lavatory is specially suitable for Operating Theatres.

No. 2307. White Glazed round-fronted Lavatory in Vulcan Fireclay with dished top, 3" (76*mm*) frieze and recess for waste; supported on White Porcelain Enamelled cantilevers to carry the basin 3" (76*mm*) clear of wall; fitted with 1½" (38*mm*) Aluminium and Vulcanite combined waste and overflow with wall hook, 3" (76*mm*) flange on waste seating and loose lift-out grid; 1½" (38*mm*) chromium plated "S" trap with waste pipe and floor flange and ½" chromium plated mixing valve with arm operated lever and vulcanite knob, central wave nozzle, wall flange and unions for lead.

		Weight, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
24" × 20" (61 × 51*cm*)	...	56	25
29" × 23" (74 × 58*cm*)	...	74	34

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY LAVATORIES





No. 2308.

No. 2308. White Glazed Lavatory, in Vulcan Fireclay, with 4″ (10*cm*) skirting, plain frieze and corbels to build into wall, oblong basin and grid overflow.

Size of Top.	Size of Basin.	Weight each. less Fittings. Lbs.	Kilos.
21″ × 16″ (53 × 41*cm*)	17″ × 11″ (43 × 28*cm*)	64	29

½″ (13*mm*) polished brass press action stopcock with pipe to and including polished brass inlet piece through back of lavatory. 1¼″ (32*mm*) polished brass careless waste in outlet of lavatory and grated outlet piece fixed to back of lavatory to discharge through wall.

Note :—*Suitable for Mental Institutions*

FOR PRICES SEE SEPARATE PRICE LIST

ROYAL
Doulton
LONDON

DOULTON HOSPITAL LAVATORIES





No. 2309.

No. 2309. White Glazed Lavatory, in Vulcan Fireclay, with dished instrument slab at each end, plain frieze and recess for waste; supported on White porcelain enamelled cast iron cantilevers to build into wall and carry lavatory 3″ (76*mm*) clear of wall; 1½″ (38*mm*) Aluminium and Vulcanite combined standing waste and overflow; 1½″ (38*mm*) porcelain enamelled steel waste pipe to discharge into floor channel; ½″ (13*mm*) chromium plated mixing valve with wrist action lever and combined central discharge for spray or jet, wall flange and unions for lead.

		Weight, less Fittings.	
Size of Top.	Size of Basin.	Lbs.	Kilos.
36″ × 19″ (91 × 48*cm*)	18″ × 12″ (46 × 30*cm*)	102	47

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON HOSPITAL LAVATORIES



No. 4155 With Fittings.



Lavatory suite consisting of :—

No. 4155. White Glazed Lavatory, in Vulcan Fireclay, with 1½″ (38*mm*) skirting at back, open weir overflow chamber 5″×3½″ (127×89*mm*); rubber plug to outlet in basin, with brass chain and chain stay.

Size of Top.	Size of Basin.	Weight, less Fittings. Lbs.	Kilos.
22″ × 20″ (56 × 51*cm*)	18″ × 12½″ (46 × 32*cm*)	57	26
24″ × 20″ (61 × 51*cm*)	20″ × 13″ (51 × 33*cm*)	68	31
20″ × 18″ (51 × 46*cm*)	16¼″ × 11″ (41 × 28*cm*)	52	24

No. 1741. 1½″ (38*mm*) polished brass waste with loose grating and knob, union for lead.

No. 1569. ½″ (13*mm*) polished brass hot and cold smooth body valves;

No. 1818B. Painted cast iron cantilevers to build into wall and to keep lavatory 3″ (76*mm*) clear of wall.

This lavatory can be supplied with the following alternative fittings :—

Nickel plated valves and waste fitting.
Chromium plated valves and waste fitting.
Polished white metal valves and waste fitting.

No. 1818B. White porcelain enamelled cantilevers.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON HOSPITAL LAVATORIES





No. 1449.

This Lavatory is specially suitable for Operating Theatres, etc.

No. 1449. White Glazed Lavatory, in Vulcan Fireclay, with cove at back; 1½" (38*mm*) vulcanite and aluminium removable combined standing waste and overflow, loose grating in waste; White Porcelain enamelled cast iron "P" trap; ½" (13*mm*) polished brass wrist action hot and cold combined valves and wall mounts, unions for lead; central jet over basin; White Porcelain enamelled cantilevers to build into wall.

Size of Top.	Size of Basin.	Weight, less Fittings. Lbs.	Weight, less Fittings. Kilos.
21" × 18" (53 × 46*cm*)	18½" × 13½" (47 × 35*cm*) ...	60	27

This Lavatory can also be supplied with the following alternative fittings :—

Nickel plated combined valves with central jet.
Chromium plated combined valves with central jet.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY TROUGH LAVATORY



No. 2345.

No. 2345. White Glazed Trough Lavatory, in Vulcan Fireclay, with shaped front and ends.

					Weight, less Fittings.	
Length.		Projection.		Depth.	Lbs.	Kilos.
4′ 6″ (137cm)	×	18″ (46cm)	×	10″ (25cm)	270	123
6′ 0″ (183cm)	×	18″ (46cm)	×	10″ (25cm)	368	167

No. 1982A. 1½″ (38mm) polished brass grated waste with galvanized steel waste pipe to discharge into channel.

No. 1818. Painted cast iron cantilevers to build into wall.

No. 2707. ½″ (13mm) anti-scalding mixing valve with wrist action lever handle for cold, tepid and hot water. Central discharge nozzle with combined jet and spray; wall flange and unions for lead.

This Lavatory can also be supplied with the following alternative fittings :—
All brass fittings nickel plated.
All brass fittings chromium plated.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY SLOP SINKS



No. 714.



No. 714. Pedestal Slop Sink, in Vulcan Fireclay, with vented " S " trap (or " P " trap), hardwood " Inserta " pad on front edge, vertical inlet and flushing rim, 3″ (76*mm*) skirting at back and sides, Porcelain Enamelled removable grid in outlet, 2 gallon (9 *litres*) Vulcan Fireclay silent action flushing cistern with all brass internal fittings, cover, White Porcelain Enamelled brackets, brass chain pull with ebonised handle, 1¼″ (32*mm*) galvanised steel flushpipe and clip, bucket grating in galvanised cast iron, polished brass, nickel plated brass, chromium plated brass or polished aluminium.

OVERALL SIZES.

Height.	Projection.	Width.	Dia. of Outlet.
17″ (43*cm*)	18″ (46*cm*)	17″ (43*cm*)	3″ (76*mm*)

No. 1977L. Valves are shown in illustration above. See page 77.

WEIGHTS :—

	Sink only.	Cistern and Brackets.	Complete with Fittings as illustrated.
Lbs.	84	62	160
Kilos	38	28	73

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY SLOP SINKS



No. 492.





SECTION A-A

No. 492. Pedestal Angle Slop Sink, in Vulcan Fireclay, with vented "S" trap (or "P" trap), harwood "Inserta" pad on front edge, vertical inlet and flushing rim, 3″ (76mm) skirting, Porcelain Enamelled removable grid in outlet, 2 gallon (9 litres) Vulcan Fireclay silent action flushing cistern with all brass internal fittings, cover, White Porcelain Enamelled brackets, brass chain pull with ebonised handle, 1¼″ (32mm) galvanized steel flushpipe and clip, bucket grating in galvanized cast iron, polished brass, nickel plated brass, chromium plated brass or polished aluminium.

OVERALL SIZES.

Height.	Projection.	Width.	Sides.	Dia. of Outlet.
17″ (43cm)	21″ (53cm)	24¾″ (63cm)	17½″ (44cm)	3″ (76mm)

No. 1977L. Valves are shown in illustration above. See page 77.

WEIGHTS :

	Sink only.	Cistern and Brackets.	Complete with Fittings as illustrated.
Lbs.	92	62	166
Kilo.	42	28	76

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY SLOP SINKS





No. 4338.

No. 4338. Slop Sink, in Vulcan Fireclay, with "P" trap, 3″ (76*mm*) skirting at back and sides, hardwood "Inserta" pad on front edge, White Porcelain Enamelled removable grating in outlet, 3 gallon (13.5 *litres*) Vulcan Fireclay silent action flushing cistern with all brass internal fittings, cover. White Porcelain Enamelled brackets, brass chain pull and ebonised handle, 1¼″ (32*mm*) galvanised steel flushpipe and clip; Sink supported on White Porcelain Enamelled cantilevers; bucket grating in galvanised cast iron, polished brass, N.P. brass, chromium plated brass or polished aluminium.

OVERALL SIZES.

Height.	Projection.	Width.	Dia. of Outlet.
18½″ (47*cm*)	21″ (53*cm*)	24″ (61*cm*)	3½″ (90*mm*)

No. 1977L. Valves are shown in illustration above. See page 77.

WEIGHTS.

	Sink only.	Cistern and Brackets.	Complete with Fittings as illustrated.
Lbs.	102	62	176
Kilos	46	28	80

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY SINKS



No. 4306.





No. 4306. Combined Slop and Wash-up Sink, in Vulcan Fireclay, with 4″ (102*mm*) skirting at back, pedestal trap ('S' or 'P') to slop sink, pedestal support to wash-up sink, two hardwood "Inserta" pads on front edge, White Porcelain Enamelled grid to outlet, 1½″ (38*mm*) rubber plug waste from wash-up sink to slop sink, 2 gallon (9 *litres*) Vulcan Fireclay silent action flushing cistern with all brass internal fittings, cover, White Porcelain Enamelled brackets, brass chain pull with ebonised handle, 1¼″ (32*mm*) galvanised steel flushpipe and clip, bucket grating in galvanised cast iron, polished brass, nickel plated brass, chromium plated brass or polished aluminium.

OVERALL SIZES.

Length.	Width.	Depth of Wash-up Sink.	Dia. of Outlet.
48″ (122*cm*) ×	20″ (51*cm*)	9″ (23*cm*)	3″ (76*mm*)

No 4306A. Combined Slop and Wash-up Sink as specified above, but 3′ 6″ (107*cm*) long.

No. 4307. Combined Slop and Wash-up Sink as specified above, but without skirting.

No. 4307A. Combined Slop and Wash-up Sink as specified above, but without skirting and 3′ 6″ (107*cm*) long.

No. 1977L. Valves are shown in illustration above. See page 77.

WEIGHTS :—

	Sink only.			Cistern and Brackets.			Complete with Fittings as illustrated.	
	Lbs.	Kilos.		Lbs.	Kilos.		Lbs.	Kilos.
No. 4306.	376	171	...	62	28	...	450	204
No. 4306A.	346	157	...	62	28	...	420	191
No. 4307.	352	160	...	62	28	...	426	193
No. 4307A.	322	146	...	62	28	...	396	180

FOR PRICES SEE SEPARATE PRICE LIST

ROYAL
Doulton
LONDON

DOULTON FIRECLAY BED PAN SINKS



No. 4394.



No. 4394. Bed Pan and Urine Bottle Sink, in White Glazed Vulcan Fireclay, with "P" trap in one piece; supported on White Porcelain enamelled cantilevers to build into wall and to keep sink clear of wall; 3-gallon (13.5 litres) White Glazed Vulcan Fireclay "Speedwell" cistern and cover, white porcelain enamelled cast iron brackets, brass chain pull and ebonised handle; $1\frac{1}{4}''$ (32mm) White Porcelain Enamelled steel flshpipe and brass clip; $\frac{1}{2}''$ (13mm) brass smooth body valve and connecting pipe to rising jet; $\frac{1}{2}''$ (13mm) brass smooth body valve with connecting pipe and bottle spray through end of sink. Exposed brasswork chromium plated.

		Weight of Sink, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
24″ × 20″, (61 × 51cm)	...	80	36

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY BED PAN SINKS



No. 700.


3"
8 c/M.
23"
58 c/M.
6"
15 c/M.
$\frac{1}{2}$ (13 M.M) UNION
OUTLET 4$\frac{3}{4}$ (12 c/M) DIA.
19"
48 c/M.
17"
43 c/M.
$\frac{1}{2}$" (13 M.M) UNION.
30"
76 c/M.

No. 700. Bed Pan and Urine Bottle Sink, in White Glazed Vulcan Fireclay, with "P" trap in one piece, and with ramps to retain bed pan in position; supported on white porcelain enamelled cantilevers to build into wall and to keep sink 3″ (76mm) clear of wall; 3-gallon (13.5 litres) white porcelain enamelled cast iron "Speedwell" cistern, cover and brackets; 1$\frac{1}{4}$″ (32mm) white porcelain enamelled steel flushpipe and brass clip; galvanized wrought iron connecting rod from treadle actuating cistern, and also $\frac{1}{2}$″ (13mm) brass supply valve for rising jet, $\frac{1}{2}$″ (13mm) brass self-closing valve and bottle spray through end of sink. Exposed brasswork Chromium Plated.

Overall Sizes.		Weight of Sink, less Fittings.	
		Lbs.	Kilos.
27″ × 23″ (69 × 58cm)	...	150	68
27″ × 20″ (69 × 51cm)	...	124	56

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY BED PAN SINKS





No. 1140.

No. 1140. Bed Pan and Urine Bottle Sink, in White Glazed Vulcan Fireclay, with "P" trap in one piece, and with ramps to retain bed pan in position; supported on White Porcelain Enamelled cast iron cantilevers to build into wall and keep sink 3″ (76mm) clear of wall. 3-gallon (13.5 litres) White Porcelain Enamelled cast iron "Speedwell" cistern and cover, White Porcelain Enamelled brackets, brass chain pull and ebonised handle, brass chain guide, 1¼″ (32mm) White Porcelain Enamelled steel flushpipe and brass clip; ½″ (13mm) brass self-closing lever valve with pipe to rising jet, and ½″ (13mm) brass self-closing lever valve with bottle spray through side of sink. Exposed brasswork Chromium Plated.

		Weight of Sink, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
27″ × 23″ (69 × 58cm)	...	150	68
27″ × 20″ (69 × 51cm)	...	124	56

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY BED PAN SINKS



No. 699.

No. 699. Bed Pan and Urine Bottle Sink, in White Glazed Vulcan Fireclay, with "P" trap in one piece and with ramps to retain Bed Pan in position; supported on White Porcelain Enamelled cantilevers to build into wall and keep sink 3″ (76mm) clear of wall; 30″ (76cm) White Glazed Fireclay Drainer supported on sink, and White Porcelain Enamelled cast iron cantilevers; 3-gallon (13.5 litres) No. 1523 White Glazed Fireclay Cistern, and cover; White Porcelain Enamelled brackets, brass chain pull and ebonised handle; 1¼″ (32mm) White Porcelain Enamelled steel flushpipe and brass clip; ½″ (13mm) brass screw-down stopcock with pipe to rising jet; ½″ (13mm) brass screw-down stopcock with swing nozzle. Exposed brasswork Chromium Plated.

		Weight of Sink, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
27″ × 23″ (69 × 58cm)	...	150	68
27″ × 20″ (69 × 51cm)	...	124	56

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON FIRECLAY BED PAN SINKS



No. 1137.



No. 1137. Combined Bed Pan and Scalding Sink, in White Glazed Vulcan Fireclay, with "P" trap in one piece, and with ramp to retain Bed Pan in position; supported on White Porcelain Enamelled cantilevers to build into wall and to keep sink 3″ (76mm) clear of wall; 3-gallon (13.5 litres) White Porcelain Enamelled cast iron "Speedwell" cistern, cover and brackets, 1¼″ (32mm) White Porcelain Enamelled steel flushpipe and brass clip, galvanized wrought iron connecting rod from treadle actuating cistern, and also ½″ (13mm) brass supply valve for rising jet; ½″ (13mm) brass self-closing valve, and bottle spray through end of sink; ½″ (13mm) brass lever handle hot and cold smooth body bib valves with wall mounts over scalding sink; 1″ (25mm) rubber plug with brass chain and stay to outlet of scalding sink which discharges into bed pan sink. Exposed brasswork Chromium Plated.

		Weight of Sink, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
4′ 0″ × 1′ 8″ (122 × 51cm)	...	247	112
4′ 6″ × 1′ 11″ (137 × 58cm)	...	270	123

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON FIRECLAY BED PAN SINKS



No. 1138A.

No. 1138A. Combined Bed Pan and Scalding Sink, in White Glazed Vulcan Fireclay, with "P" trap in one piece and with ramps to retain bed pan in position; White Glazed Fireclay Drainer; supported on White Porcelain Enamelled cantilevers to build into wall, and to keep sink and drainer 3″ (76mm) clear of wall; 3-gallon (13.5 litres) White Glazed Vulcan Fireclay "Speedwell" cistern and cover, White Porcelain Enamelled brackets, brass chain pull and ebonised handle and brass chain guide; 1¼″ (32mm) White Porcelain Enamelled steel flushpipe and brass clip; ½″ (13mm) brass self-closing lever valve with pipe to rising jet; ½″ (13mm) brass lever handle hot and cold smooth body bib valves with wall mounts over scalding sink; ½″ (13mm) brass mixing valve with rubber hose and nozzle over drainer, 1″ (25mm) rubber plug with brass chain and chain stay to outlet of scalding sink which discharges into bed pan sink. Exposed brasswork Chromium Plated.

Can also be supplied with Urine Bottle spray through end of sink with self-closing lever valve.

		Weight of Sink, less Fittings.	
Overall Sizes.		Lbs.	Kilos.
4′ 0″ × 1′ 8″ (122 × 51cm)	...	247	112
4′ 6″ × 1′ 11″ (137 × 58cm)	...	270	123

Drainers:		Weights.	
Overall Sizes.		Lbs.	Kilos.
4′ 0″ × 1′ 8″ (122 × 51cm)	...	98	45
4′ 0″ × 1′ 11″ (122 × 58cm)	...	112	51



FOR PRICES SEE SEPARATE PRICE LIST.

BED PAN WASHERS



The B.S.P. (Patent No. 26956) Bed Pan, Bottle Washing and Sterilizing Cabinet, in Stainless Steel (Firth's Staybright), with nickel plated fittings.

Each Cabinet accommodates one Bed Pan and two Bottles, all of which are thoroughly flushed and washed, inside and out, and at the same time the interior of the Cabinet is thoroughly cleansed.

This Cabinet can be supplied for building flush into wall or for standing clear of wall.

The above illustration shows the Cabinet open with Bed Pan and Bottle in position for cleansing. When the pressure on the foot pedal is removed the door closes automatically.

FOR PRICES SEE SEPARATE PRICE LIST.

BED PAN WASHERS



The above illustration shows how the Cabinet may be fitted in the Sluice Room when it is not convenient to have it built into the wall.

Note the sparge pipe inside the top of the Cabinet. This flushes the walls of the Cabinet while the cleansing operation is taking place.

The valve handle in the position shown above indicates that the steam or hot water is " ON."

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON POST MORTEM TABLES



No. 735.

No. 735. Post Mortem Table, in White Glazed Vulcan Fireclay, supported on White Glazed Vulcan Fireclay Pedestals.

Overall Sizes.		Weight of Table. Lbs.	Weight of Table. Kilos.	Weight of Pedestal each. Lbs.	Weight of Pedestal each. Kilos.
6′ 0″ × 2′ 0″ (183 × 61cm)	...	360	164	82	37

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON POST MORTEM TABLES



No. 4418.

No. 4418. Post Mortem Table, in White Glazed Vulcan Fireclay, supported on White Glazed Vulcan Fireclay Pedestals, with polished gun metal hinged outlet grating, polished copper waste pipe with shoe to discharge into floor channel, and polished gun metal pipe stay.

Overall Sizes.	Weight of Table. Lbs.	Weight of Table. Kilos.	Weight of Pedestal each. Lbs.	Weight of Pedestal each. Kilos.
6′ 0″ × 2′ 0″ (183 × 61cm)	360	164	82	37
6′ 6″ × 2′ 6″ (198 × 76cm)	420	191	82	37

The following alternative fittings can also be supplied :—

Nickel Plated outlet grating and waste pipe.
Chromium Plated outlet grating and waste pipe.
White Porcelain Enamelled waste pipe.
Short waste pipe to discharge into bucket.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON POST MORTEM TABLES



No. 780.

No. 780. Post Mortem Table, in White Glazed Vulcan Fireclay, fixed on White Glazed Vulcan Fireclay Pedestal, with ball bearings, so that table may be easily turned, with screw brake to retain it in any position; 2″ (51mm) gun metal hinged grated waste with pipe to channel in base and gun-metal clip to pedestal. Brass hinged domed grating to channel outlet. Exposed brasswork Chromium Plated.

		Weight, less Fittings.			
		Table.		Pedestal.	
Overall Sizes.		Lbs.	Kilos.	Lbs.	Kilos.
6′ 0″ × 2′ 0″ (183 × 61cm)	...	360	164	216	99
6′ 6″ × 2′ 6″ (198 × 76cm)	...	420	191	216	99

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON POST MORTEM TABLES



No. 781.

No. 781. Post Mortem Table, in White Glazed Vulcan Fireclay, supported on White Porcelain Enamelled cast iron Pedestal, with ball bearings so that table may be easily turned, with screw brake to retain it in any position. 2″ (51mm) polished gun-metal hinged grated waste with pipe to discharge into channel in base and gun-metal clip to pedestal. Brass grating to channel outlet. Exposed brasswork Chromium Plated.

	Weight, less Fittings. Table only.	
Overall Sizes.	Lbs.	Kilos.
6′ 0″ × 2′ 0″ (183 × 61cm)	360	164
6′ 6″ × 2′ 6″ (198 × 76cm)	420	191

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON COMBINED POST MORTEM TABLE AND SINK



No. 782.

No. 782. Post Mortem Table, in White Glazed Vulcan Fireclay, on White Glazed Vulcan Fireclay pedestal at one end, the other end resting on White Glazed Vulcan Fireclay Sink, supported on two White Glazed pedestals. Each end of sink is fitted with an 18″ × 12″ (46 × 30cm) glass shelf supported on White Porcelain Enamelled brackets. ½″ (13mm) foot action mixing valve with pipe to 6′ 0″ (183cm) flexible rubber hose and spray nozzle and fixed to Post Mortem Table by brass clip; outlet to sink fitted with 1½″ (38mm) vulcanite removable standing overflow tube, brass waste and White Porcelain Enamelled pipe with shoe to discharge into channel. Exposed brasswork Chromium Plated.

	Overall Sizes.		Weight, less Fittings.	
			Lbs.	Kilos.
Table	6′ 0″ × 2′ 0″	(183 × 61cm)	360	164
Sink	3′ 0″ × 1′ 8″ × 10″	(91 × 51 × 25cm)	174	79
Pedestals	... ...	... ...	200	91

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CAST IRON BATHS



No. 816.

No. 816. Cast Iron "RALSTON" Parallel Bath with flat roll table top, White Porcelain enamelled inside, plain painted outside, on high or low feet for trapping above or below floor.

	Inside Sizes. Length. Width. Depth.		Overall Sizes. Length. Width.		Roll.
No. 816.	4′ 11″ × 1′ 10¾″ × 1′ 4¾″ (150 × 58 × 43cm)	...	5′ 7¾″ × 2′ 3¾″ (172 × 71cm)	...	2½″ (64mm)
No. 816A.	5′ 4¾″ × 1′ 10¾″ × 1′ 4¾″ (164 × 58 × 43cm)	...	6′ 0¾″ × 2′ 3¾″ (185 × 71cm)	...	2½″ (64mm)
No. 816B.	5′ 0″ × 1′ 11″ × 1′ 5″ (152 × 58 × 43cm)	...	5′ 6″ × 2′ 4″ (168 × 71cm)	...	2½″ (64mm)
No. 816C.	5′ 6″ × 1′ 11″ × 1′ 5″ (168 × 58 × 43cm)	...	6′ 0″ × 2′ 4″ (183 × 71cm)	...	2½″ (64mm)

No. 1569. ¾″ (19mm) brass hot and cold smooth body pillar valves, polished, nickel plated or chromium plated.

No. 1872. 1½″ (38mm) rubber plug, brass waste and chain, polished, nickel plated or chromium plated.

No. 1492. Rough brass trap for fixing above or below floor.

No. 1873. 1¼″ (32mm) brass grated overflow, polished, nickel plated or chromium plated.

This Bath can also be supplied with :—

No. 1493. Glass enamelled cast iron trap for fixing above or below floor.

FOR PRICES SEE SEPARATE PRICE LIST

ROYAL
Doulton
LONDON

DOULTON CAST IRON BATHS



No. 817.

No. 817. Cast iron " ALLAN " Parallel Bath with flat roll table top to fit into right or left hand corner, with upstand along back and one end to build into wall, White Porcelain enamelled inside, plain painted outside, on high or low feet for trapping above or below floor, White Porcelain enamelled cast iron panels to fit along front and one end.

	Inside Sizes.				Overall Sizes.			
	Length.	Width.	Depth.		Length.	Width.		Roll.
No. 817.	5′ 0″	× 1′ 11″	× 1′ 5″	...	5′ 8″	× 2′ 5″	...	3″ (76mm)
	(152 × 58 × 43cm)				(172 × 74cm)			
No. 817A.	5′ 6″	× 1′ 11″	× 1′ 5″	...	6′ 2″	× 2′ 5″	...	3″ (76mm)
	(168 × 58 × 43cm)				(188 × 74cm)			

No. 1569. ¾″ (19mm) brass hot and cold smooth body pillar valves, polished, nickel plated or chromium plated.

No. 1872. 1½″ (38mm) rubber plug, brass waste and chain, polished, nickel plated or chromium plated.

No. 1492. 1½″ (38mm) rough brass trap for fixing above or below floor.

No. 1873. 1¼″ (32mm) brass grated overflow, polished, nickel plated or chromium plated.

This Bath can also be supplied for fitting between walls, with front panel only, or with both ends exposed, with front and two end panels.

The following alternative fittings can be supplied :—

1″ (25mm) valves, 2″ (51mm) waste and trap, and 1½″ (38mm) overflow.
No. 1493. Glass enamelled cast iron trap.
Enamelled slate panels.
Synthetic marble panels.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CAST IRON BATHS



No. 1832.

No. 1832. Cast iron Parallel Bath with rolled edge, White Porcelain Enamelled inside, plain painted outside, on feet.

	Inside Sizes.	Overall Sizes.	
	Length. Width. Depth.	Length. Width. Depth.	Roll.
No. 1832E.	4′ 6″ × 1′ 11″ × 1′ 5″ (137 × 58 × 43cm)	... 5′ 0″ × 2′ 5″ × 1′ 11″	... 3″ (76mm)
		(152 × 74 × 58cm)	
No. 1832.	5′ 0″ × 1′ 11″ × 1′ 5″ (152 × 58 × 43cm)	... 5′ 6″ × 2′ 5″ × 1′ 11″ (168 × 74 × 58cm)	... 3″ (76mm)
No. 1832A.	5′ 6″ × 1′ 11″ × 1′ 5″ (168 × 58 × 43cm)	... 6′ 0″ × 2′ 5″ × 1′ 11″ (183 × 74 × 58cm)	... 3″ (76mm)
No. 1832F.	6′ 0″ × 1′ 11″ × 1′ 5″ (183 × 58 × 43cm)	... 6′ 6″ × 2′ 5″ × 1′ 11″ (198 × 74 × 58cm)	... 3″ (76mm)

No. 1569. ¾″ (19mm) brass hot and cold smooth body pillar valves, polished, nickel plated or chromium plated.

No. 1872. 1½″ (38mm) rubber plug, brass waste and chain, polished, nickel plated or chromium plated.

No. 1492. Rough brass trap.

No. 1873. 1¼″ (32mm) brass grated overflow, polished, nickel plated or chromium plated.

This Bath can also be supplied with the following alternative fittings :—

No. 1493. Glass enamelled cast iron trap.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CHILD'S BATHS



No. 1849A.

No. 1849A. A Cast Iron Parallel Child's Bath, with rolled edge, White Porcelain enamelled inside, painted outside, on four plain cast iron feet, 3′ 6″ long inside.

No. 1849B. Bath, as No. 1849A., but 3′ 9″ long inside.

No. 1849. Bath, as No. 1849A., but on two plain painted cast iron pedestals.

No. 1849C. Bath, as No. 1849B., but on two plain painted cast iron pedestals.

	Inside Sizes.				Overall Sizes.			
	Length.	Width.	Depth.		Length.	Width.	Height.	Roll.
No. 1849A.	3′ 6″ (107	× 1′ 6″ × 46	× 1′ 3″ × 38cm)	...	3′ 11¼″ (120	× 1′ 10½″ × 57	× 1′ 9″ × 53cm)	... 2¼″ (57mm)
No. 1849B.	3′ 9″ (115	× 1′ 6″ × 46	× 1′ 3″ × 38cm)	...	4′ 2¼″ (129	× 1′ 10½″ × 57	× 1′ 9″ × 53cm)	... 2¼″ (57mm)
No. 1849.	3′ 6″ (107	× 1′ 6″ × 46	× 1′ 3″ × 38cm)	...	3′ 11¼″ (120	× 1′ 10½″ × 57	× 2′ 8″ × 81cm)	... 2¼″ (57mm)
No. 1849C.	3′ 9″ (115	× 1′ 6″ × 46	× 1′ 3″ × 38cm)	...	4′ 2¼″ (129	× 1′ 10½″ × 57	× 2′ 8″ × 81cm)	... 2¼″ (57mm)

No. 1569. ¾″ (19mm) brass hot and cold smooth body pillar valves, polished, nickel plated or chromium plated.

No. 1872. 1½″ (38mm) rubber plug, brass waste and chain, union for lead, polished, nickel plated or chromium plated.

No. 1873. 1¼″ (32mm) brass grated overflow, polished, nickel plated or chromium plated.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CAST IRON BATHS



No. 4398.

No. 4398. Cast Iron Portable Bath, White Porcelain Enamelled inside, plain painted outside; four india-rubber tyred wheels with foot action brake; wrought iron handle; 1″ (25mm) brass screw down valve to outlet.

Inside Sizes. Length. Width. Depth.		Overall Sizes. Length. Width. Depth.		Roll.
4′ 6″ × 1′ 11″ × 1′ 5″ (137 × 58 × 43cm)	...	5′ 0″ × 2′ 5″ × 1′ 11″ (152 × 74 × 58cm)	...	3″ (75mm)
5′ 0″ × 1′ 11″ × 1′ 5″ (152 × 58 × 43cm)	...	5′ 6″ × 2′ 5″ × 1′ 11″ (168 × 74 × 58cm)	...	3″ (75mm)
5′ 6″ × 1′ 11″ × 1′ 5″ (168 × 58 × 43cm)	...	6′ 0″ × 2′ 5″ × 1′ 11″ (183 × 74 × 58cm)	...	3″ (75mm)

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

CHROMIUM PLATING

The attention of our customers is drawn to the quality of our Chromium Plating, which is applied by the Nickel-Chromium Process.

Chromium Plated Fittings should occasionally (approximately once per week) be washed over with soap and water, rinsed with clean water and finally dried with a clean soft cloth.

NO CLEANING PREPARATION, NO METAL POLISH AND NO IMPREGNATED CLOTHS SHOULD BE USED.

ROYAL
Doulton
LONDON

DOULTON MIXING VALVES



No. 1485B.



No. 1742.

No. 1485B. Anti-Scalding Mixing Valve with lever handle, for cold, tepid and hot water, wall flange and unions for lead.

½″ (13*mm*), ¾″ (19*mm*), 1″ (25*mm*), and 1¼″ (32*mm*).

Polished brass, Nickel plated brass, Chromium plated brass, Polished gun-metal, or Polished white metal.

No. 1742. ½″ (13*mm*) Anti-Scalding Mixing Valve with crutch handle for cold, tepid and hot water, wall flange and unions for lead.

Polished brass, Nickel plated brass, Chromium plated brass, Polished gun-metal, or Polished white metal.



No. 2707.



No. 1743.

No. 2707. ½″ (13*mm*) Anti-Scalding Mixing Valve with wrist action lever handle for cold, tepid and hot water, central discharge nozzle with combined jet and spray; wall flanges and unions for lead.

Polished brass, Nickel plated brass, Chromium plated brass, Polished gun-metal, or Polished white metal.

No. 1743. ½″ (13*mm*) hot and cold screw down smooth body stop-cocks with breeches piece, wall flanges and unions for lead.

Polished brass, Nickel plated brass, Chromium plated brass, Polished gun-metal, or Polished white metal.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON SHAMPOO FITTINGS



No. 1863.



No. 1865.

No. 1863. Shampoo fitting comprising :—

$\frac{1}{2}$″ (13*mm*) anti-scalding mixing valve with lever handle, for cold, tepid and hot water, wall flange and unions for lead; 36″ (91*cm*) length flexible rubber hose with coupling to mixing valve; 3″ (76*mm*) spray rose with rubber protecting ring, black corrugated grip and wall hook.

Metal work in Polished brass, Nickel plated brass, Chromium plated brass, Polished gun-metal or Polished white metal

No. 1865. Shampoo fitting comprising :—

$\frac{1}{2}$″ (13*mm*) hot and cold screw down smooth body stop-cocks with breeches piece, wall flanges and unions for lead; 36″ (91*cm*) length of flexible rubber hose with coupling to breeches piece; 3″ (76*mm*) spray rose with rubber protecting ring, black corrugated grip and wall hook.

Metal work in Polished brass, Nickel plated brass, Chromium plated brass, Polished gun-metal or Polished white metal.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON LAVATORY ACCESSORIES



No. 2702. White opal glass splash back with rounded and polished edges, complete with polished plate glass shelf and chromium plated brackets.

No. 2703. Polished plate glass shelf and chromium plated brass brackets.

No. 2704. White opal glass splash back with shaped top and rounded and polished edges, complete with circular plate glass mirror with bevelled and polished edges, leaded damp-proof back and chromium plated fixing screws.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON CLOSET SEATS



No. 2071.

No. 2070. Non-absorbent Bakelite Ring Seat, suitable for " Alpha " Closet, with chromium plated hinges and rubber buffers.

Supplied in the following colours :—

Black, Walnut, Mahogany or White.

No. 2071. Bakelite Seat as above, but fitted with flap.



No. 2070.

No. 2070. Non-absorbent black Ebonite Seat, suitable for " Alpha," " Colonial " and " Corbel " Closets, with chromium plated hinges and rubber buffers.

No. 2071. Ebonite Seat, as above, but fitted with flap.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON SINK WASTE FITTINGS



No. 1982A. No. 1984A. No. 1984.

No. 1982A. Grated Brass Outlet with $3\frac{1}{2}''$ (89*mm*) flange, flanged back nut and union.

No. 1984A. Brass Outlet with $3\frac{1}{2}''$ (89*mm*) flange, rubber or vulcanite plug and chain, flanged back nut and union.

No. 1984. Brass Outlet as No. 1984A, but with slot to suit Sinks with overflows.



No. 1694. No. 1695. No. 1701.

No. 1694. Pottery Spigot Outlet, flange $3\frac{1}{2}''$ (89*mm*), with lead grating and rubber-tipped pottery standing waste. (Used with "London" Sinks only).

No. 1695. Pottery Spigot Outlet, flange $3\frac{1}{2}''$ (89*mm*), with lead grating and rubber-tipped pottery stopper.

No. 1701. Pottery Spigot Outlet, flange $3\frac{1}{2}''$ (89*mm*), with lead grating and rubber plug and chain.

NOTE.—When ordering fittings for the outlets of ordinary Sinks from this page, please specify $3\frac{1}{2}''$ (89*mm*) flange.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON SINK FITTINGS



No. 1494.



No. 1981.



No 1495.



No. 1989.



No. 1469.



No. 1499. No. 1499A.

No. 1494.	1½″ (38*mm*) or 2″ (51*mm*) Cast Iron Trap ('S' or 'P'), painted, galvanised, glass enamelled or white porcelain enamelled.
No. 1495.	1½″ (38*mm*) or 2″ (51*mm*) 'P' Trap, unpolished brass, polished brass, nickel plated brass or chromium plated brass.
No. 1989.	Hinged Overflow Grating for Sinks with open weir overflow, polished brass, nickel plated brass or chromium plated brass.
No. 1981.	1½″ (38*mm*) or 2″ (51*mm*) Combined Standing Waste and Overflow, lift-out grid in outlet, wall hook, polished brass, nickel plated brass or chromium plated brass.
No. 1469.	2½″ (64*mm*) Cast Iron Horizontal Waste Pipes, 1½″ (38*mm*) vertical connecting pieces, 'S' or 'P' trap at end of range, coated Dr. Angus Smith's solution, galvanized, glass enamelled or white porcelain enamelled.
No. 1499.	1½″ (38*mm*) or 2″ (51*mm*) Vertical Steel Waste Pipe with shoe to discharge into floor channel, galvanized or white porcelain enamelled.
No. 1499A.	1½″ (38*mm*) or 2″ (51*mm*) Vertical Steel Waste Pipe, cranked to wall with shoe to discharge into floor channel, galvanized or white porcelain enamelled.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON SINK FITTINGS



No. 1818. No. 1818B. No. 1818A.

No. 1818. C.I. Cantilever to build into wall, painted or white porcelain enamelled.

No. 1818B. C.I. Cantilever to build into wall, for Sinks with overflow, painted or white porcelain enamelled.

No. 1818A. C.I. Bracket, screw to wall, painted or white porcelain enamelled.



No. 1800.



No. 2017.

No. 1800. Sink Support, painted iron leg with band to wall and floor flange.

No. 2017. Wash Tub Support, painted heavy cast iron standard with wall lugs and floor flanges.

FOR PRICES SEE SEPARATE PRICE LIST.

ROYAL
Doulton
LONDON

DOULTON SINK FITTINGS



No. 86L. No. 1977L. No. 89.

No. 86L.	½″ (13*mm*) or ¾″ (19*mm*) Bib-valve, screw down, smooth body, capstan head, screwed for iron or with boss for lead. In polished brass, nickel plated brass or chromium plated brass.
No. 1977L.	½″ (13*mm*) or ¾″ (19*mm*) Bib-valve, screw down, smooth body, capstan head, with wall mount and union for lead. In polished brass, nickel plated brass or chromium plated brass.
No. 89.	½″ (13*mm*) or ¾″ (19*mm*) Bib-valve, screw down, smooth body, capstan head, screwed for iron or with boss for lead, fitted with detachable hose union, polished brass, nickel plated brass or chromium plated brass.



No. 87. No. 90. No. 1374.

No. 87.	½″ (13*mm*) or ¾″ (19*mm*) Bib-valve, screw down, smooth body, capstan head, anti-splash nozzle, screwed for iron or with boss for lead, polished brass, nickel plated brass or chromium plated brass.
No. 90.	½″ (13*mm*) or ¾″ (19*mm*) Bib-valve, quarter turn lever handle with wall mount and union for lead. In polished brass, nickel plated brass or chromium plated brass.
No. 1374.	½″ (13*mm*) Combination Supply Fitting, hot and cold valves, screw down, smooth body, capstan head, wall mounts and unions for lead, centre swing arm with anti-splash nozzle, polished brass, nickel plated brass or chromium plated brass.

FOR PRICES SEE SEPARATE PRICE LIST.

DOULTON & CO. LTD

Manufacturers of

LABORATORY FITTINGS.

SANITARY FITTINGS.

- Baths.
- Lavatories.
- Closets.
- Urinals.
- Sinks.
- Washtubs.
- Marine Fittings.

ARCHITECTURAL WARES.

- Carrara Ware.
- Salt-Glazed Stoneware.
- Unglazed Terra Cotta.
- Mosaics and Tiles.
- Fire-Places.
- Statuary.
- Garden Vases.
- Sundials.
- Fountains.

ELECTRICAL WORK.

- Conduits.
- Troughs.
- Ducts.
- Insulators.

DRAINAGE APPLIANCES.

- Stoneware Pipes.
- Special Joints.
- Stoneware Junctions.
- Stoneware Bends.
- Gullies and Traps.
- Channels.
- Manhole Fittings.
- Flushing Syphons.

BUILDING MATERIALS.

- Damp Courses.
- Air Bricks.
- Chimney Tops.
- Flue Linings.
- Cattle Troughs.
- Silicon Treads.

GENERAL.

- Plumbago Crucibles.
- Laboratory Porcelain.
- Chemical Stoneware.
- Water Filters.
- Doulton-Ware and Other Art-Wares.
- Domestic Wares.
- China and Earthenware.

ENQUIRIES FOR ANY OF THE ABOVE GOODS ARE INVITED.

ROYAL
Doulton
LONDON

Copyright Strictly Reserved.

ROYAL DOULTON POTTERIES

BY APPOINTMENT

PRICE APPENDIX TO
CATALOGUE *of*
HOSPITAL FITTINGS

DOULTON & CO. LTD.
SPRINGFIELD
DUDLEY, WORCS.

Telephone: Dudley 2503. *Telegrams*: "Doulton, Dudley."

Head Office:
28 High Street, Lambeth, London, S.E.1.

Revised September, 1935.

Page 2. No. 247.

OUTSIDE SIZES.	WHITE IN AND OUT.		WHITE IN, BUFF OUT.	
	Selected.	Unselected.	Selected.	Unselected.
17″ × 13″ × 5″	12/8	11/6	11/10	10/9
20″ × 15″ × 5″	17/8	16/-	16/6	15/-
17″ × 13″ × 6″	15/5	14/-	14/4	13/-
20″ × 15″ × 6″	£1/2/0	£1/0/0	£1/0/8	18/9
20″ × 16″ × 6″	£1/2/0	£1/0/0	£1/0/8	18/9
24″ × 16″ × 6″	£1/6/2	£1/3/9	£1/4/3	£1/2/0
24″ × 18″ × 6″	£1/10/0	£1/7/3	£1/7/10	£1/5/3
27″ × 18″ × 6″	£1/13/0	£1/10/0	£1/10/10	£1/8/0
30″ × 18″ × 6″	£1/16/11	£1/13/6	£1/14/2	£1/11/0
30″ × 20″ × 6″	£2/0/9	£1/17/0	£1/18/0	£1/14/6
36″ × 20″ × 6″	£2/9/0	£2/4/6	—	—
42″ × 20″ × 6″	£2/17/3	£2/12/0	—	—
42″ × 24″ × 6″	£3/18/2	£3/11/0	—	—
24″ × 16″ × 8″	£1/17/9	£1/14/3	£1/15/3	£1/12/0
24″ × 18″ × 8″	£2/2/5	£1/18/6	£1/19/4	£1/15/9
27″ × 18″ × 8″	£2/6/6	£2/2/3	£2/3/6	£1/19/6
30″ × 18″ × 8″	£2/11/9	£2/7/0	£2/8/5	£2/4/0
36″ × 22″ × 8″	£4/4/9	£3/17/0	—	—
42″ × 24″ × 8″	£5/7/0	£4/17/3	—	—
48″ × 24″ × 8″	£6/5/5	£5/14/0	—	—
24″ × 16″ × 10″	£2/6/6	£2/2/3	£2/3/6	£1/19/6
24″ × 18″ × 10″	£2/11/9	£2/7/0	£2/8/5	£2/4/0
27″ × 18″ × 10″	£2/17/9	£2/12/6	£2/13/11	£2/9/0
30″ × 18″ × 10″	£3/3/7	£2/17/9	£2/19/5	£2/14/0
30″ × 20″ × 10″	£4/0/4	£3/13/0	£3/14/10	£3/8/0
36″ × 20″ × 10″	£4/15/9	£4/7/0	—	—

Page 3. No. 2011.

18″ × 15″ × 8″	£1/7/10	£1/5/3	£1/6/2	£1/3/9
21″ × 16″ × 8″	£1/13/7	£1/10/6	£1/11/5	£1/8/6
24″ × 16″ × 8″	£1/17/9	£1/14/3	£1/15/3	£1/12/0
24″ × 18″ × 8″	£2/2/5	£1/18/6	£1/19/4	£1/15/9
27″ × 18″ × 8″	£2/6/6	£2/2/3	£2/3/6	£1/19/6
30″ × 18″ × 8″	£2/11/9	£2/7/0	£2/8/5	£2/4/0
21″ × 16″ × 10″	£2/1/7	£1/17/9	£1/18/6	£1/15/0
24″ × 16″ × 10″	£2/6/6	£2/2/3	£2/3/6	£1/19/6
24″ × 18″ × 10″	£2/11/9	£2/7/0	£2/8/5	£2/4/0
27″ × 18″ × 10″	£2/17/9	£2/12/6	£2/13/11	£2/9/0
30″ × 18″ × 10″	£3/3/7	£2/17/9	£2/19/5	£2/14/0
30″ × 20″ × 10″	£4/0/4	£3/13/0	£3/14/10	£3/8/0
36″ × 18″ × 10″	£4/6/11	£3/19/0	—	—
36″ × 20″ × 10′	£4/15/9	£4/7/0	—	—
42″ × 24″ × 10″	£6/16/9	£6/4/3	—	—
48″ × 24″ × 10″	£7/16/3	£7/2/0	—	—
42″ × 24″ × 12″	£8/3/8	£7/8/9	—	—
48″ × 24″ × 12″	£9/6/6	£8/9/6	—	—

Page 4.

	Selected.	Unselected.
Teak Inserta, up to 1 ft. long ...	7/6	6/9
Extra.		
Per inch above 1 ft.	7d.	6d.
Aluminium Inserta, up to 1 ft. long	18/-	
Extra.		
Per inch above 1 ft.	1/6	

Page 5. No. 1965.

	WHITE IN AND OUT.	
OUTSIDE SIZES. (Measured under roll).	Selected.	Unselected.
30″ × 18″ × 9½″	£4/5/7	£3/17/9
33″ × 18″ × 9½″	£4/14/8	£4/6/0
36″ × 18″ × 9½″	£5/2/7	£4/13/3
36″ × 21″ × 9½″	£5/19/5	£5/8/6
42″ × 21″ × 9½″	£6/18/1	£6/5/6
48″ × 21″ × 9½″	£7/17/1	£7/2/9
48″ × 24″ × 9½″	£8/18/9	£8/2/6

Page 6. No. 1990.

OUTSIDE SIZES. (Measured under roll).	Selected.	Unselected.
18″ × 14″ × 8″	£3/11/6	£3/5/0

Bucket Grating:	
Galvanized Iron	£1/0/0
Polished Brass	£1/6/0
Nickel Plated Brass	£1/12/6
Chromium Plated Brass	£1/12/6
Polished Aluminium	£1/12/6

Page 7. No. 98.

OUTSIDE SIZES.	Selected.	Unselected.
17″ × 17″	£4/9/8	£4/1/6
28″ × 17″	£7/4/2	£6/11/0
If with flushing rim, *add*	6/1	5/6
If with hanging trap, *add*	£1/4/3	£1/2/0
If with pedestral trap, *add*	£1/16/4	£1/13/0

Page 8.

For prices of Sinks see page 3.

For prices of Fittings see pages 74, 75, 76 and 77.

Page 9.

No. 1445. Sink only.

OUTSIDE SIZES.	Selected.	Unselected.
24″ × 18″ × 10″	£4/1/5	£3/14/0
30″ × 22″ × 10″	£6/19/2	£6/6/6

No. 1818. Per pair.	Painted	5/6
	W.P.E.	18/-

	Pol. Brass.	N.P. Brass.	C.P. Brass.	Pol. W.M.
No. 1737. Waste	£1/3/6	£1/3/6	£1/3/6	£1/7/0
1½″ Trap	13/9	13/9	13/9	17/9
1½″ Waste pipe to floor	13/3	13/3	13/3	15/9
½″ Combined valves	£2/11/0	£2/16/6	£2/16/6	£3/3/0

Page 10.

	Selected.	Unselected.
No. 1448. Sink only	£5/17/3	£5/6/7

No. 1818. Per pair.	Painted	3/6
	W.P.E.	9/-

	Pol. Brass.	N.P. Brass.	C.P. Brass.	Pol. W.M.
1½″ Waste	5/-	6/-	6/-	7/6
½″ Valves. Per Pair	£1/8/0	£1/10/6	£1/10/6	£1/15/0
1½″ W.P.E. Waste Pipe	13/6			

Page 11.

	WHITE IN AND OUT.	
No. 847c.	Selected.	Unselected.
"S" or "P" trap, back outlet, vent or no vent, seat lugs	£2/8/5	£2/4/0

Page 12.

No. 1061. Pan only	£2/12/0	£2/7/3
EXTRAS:		
Hardwood inserta pads	8/3	7/6

Oiled Teak Seat—	
Polished or N.P. hinges	13/6
Chromium plated hinges	13/6
Mahogany Seat—	
Polished or N.P. hinges	13/6
Chromium plated hinges	13/6
Cellulose Enamelled Seat—	
Polished or N.P. hinges	£1/0/0
Chromium plated hinges	£1/0/0

		White In and Out.	
		Selected.	Unselected.
Page 13.			
No. 2151.		£2/12/0	£2/7/3
Page 14.			
No. 2032 or 2033.		£2/11/9	
No. 2069.		£2/0/0	
Page 15.		Selected.	Unselected.
No. 2151.		£2/12/0	£2/7/3
No. 2069.		£2/0/0	
No. 162U.	Shell and cover	£2/4/0	£2/0/0
	Fittings	£2/15/3	
No. 1468A.		£1/5/0	
No. 893.		2/9	
Page 16.			
No. 2163.	Suite.	£8/6/6	
	Deduct: 2½ gall. Cistern	2/9	
	Extra: C.P. flush pipe	4/3	
Page 17.		Selected.	Unselected.
No. 2006.		£1/10/8	£1/7/10
No. 2041.		7/6	
No. 801.		£1/15/0	
No. 1468A.		4/-	
No. 893A.		9d.	
Page 18.		Selected.	Unselected.
No. 2006.		£1/10/8	£1/7/10
No. 2074.		13/6	
No. 1523.	Shell and Cover	£1/15/3	£1/12/0
	Fittings	£1/11/6	
No. 1468A.		£1/13/0	
No. 893.		2/9	
Page 19.		Selected.	Unselected.
No. 2219.	Pan only	£1/10/8	£1/7/10
	Fittings	£4/17/0	
Page 20.			
No. 2221.	Pan only	£2/8/5	£2/4/0
	Cistern shell and cover, 2½ or 3 gallons	£2/4/0	£2/0/0
	Fittings, including P.E. Steel or C.P. brass flushpipe	£3/12/0	
	Extra: Cellulose Enamelled Seat	9/9	
Page 21.			
No. 2089.	Suite	£6/0/0	
No. 659.		16/3	
No. 2041.		10/6	
No. 801.		£2/17/6	
No. 1468A.		£1/13/0	
No. 893.		2/9	

Page 22.

		Queensware.		Doulfort Ware.
No. 2105.	Suite	£4/18/3		———
	Deduct : 2 or 2½ gallon Cistern		2/9	
	Extra : Cover flap to seat		5/-	
	C.P. flush pipe		4/3	

Page 23.

No. 2101.	Suite	———		£6/10/0
	Deduct : 2 or 2½ gallon Cistern		3/3	
	Extra : Cover flap to seat		8/-	
	C.P. flush pipe		4/3	
		Iron.		Brass.
	Fig. 1. Outlet piece	—		3/-
	Fig. 2. Outlet piece	2/3		10/-
	Fig. 3. Ditto ...	5/-		£1/3/3
	Fig. 4. Ditto ...	3/9		£1/6/0

Page 24.

		Selected.		Unselected.
No. 2156.	Pan only	£1/10/8		£1/7/10
	Fittings		£4/13/6	

Page 25.

No. 1062.	... ...	£3/10/2		£3/3/9
No. 2041.	... ...		13/6	
No. 1523.	Shell and cover	£2/4/0		£2/0/0
	Fittings		£1/12/6	
No. 1468B.	... ...		£1/5/0	

Page 26.

No. 2131.	Pan only	£3/10/2		£3/3/9
	Seat only		£1/12/6	
	Cistern and other fittings		£8/0/0	

Page 27.

No. 2802. Basin only.

	Queensware.	Doulfort Ware.
22″ × 16″ ...	£1/0/3	£1/6/9
25″ × 18″ ...	£1/12/6	£2/3/3

	Pol. Brass.	N.P. Brass.	C.P. Brass.	Pol. W.M.	Stainless Steel.
No. 1569. Per Pair	8/6	9/6	9/6	16/6	£1/11/6
No. 235.	2/6	3/-	3/-	4/6	6/9

		Painted.	W.P.E.
No. 77.	Per Pair	2/9	6/6
No. 77A.	Per pair	2/9	6/6

Page 28.

No. 2800. Basin only.

	Queensware.	Doulfort Ware.
20″ × 16″ ...	£1/0/3	£1/6/9
22″ × 16″ ...	£1/0/3	£1/6/9
25″ × 18″ ...	£1/12/6	£2/3/3
27″ × 19″ ...	£2/6/0	£2/13/0

For prices of Fittings see page 27.

Page 45.

	Selected.	Unselected.
No. 1449. Basin only.	£2/18/2	£2/12/10
C.P. Waste	£1/3/6	
Trap	11/6	
Cantilevers	6/6	
C.P. Supply Fitting ...	£3/11/6	

Page 46.

No. 2345. Trough only. 4′ 6″ long	£10/0/6	£9/2/3
6′ 0″ long	£13/7/4	£12/3/0

	Pol. Brass.	N.P. Brass.	C.P. Brass.
No. 1982A. Waste only	3/6	4/6	4/6
No. 2707. Mixing Valve. Each	£5/1/0	£5/7/0	£5/7/0

	Painted.	Galvd.	W.P.E.
No. 1818. Cantilevers. Per Pair ...	3/6	6/–	9/–
1½″ Waste Pipe	4/9	4/9	13/6

Page 47. No. 714.

	White In and Out.	
	Selected.	Unselected.
Sink and inserta ...	£5/19/11	£5/9/0
Porcelain enamelled outlet grid	2/6	
Bucket Grating :		
Galvanized iron ...	£1/0/0	
Polished brass ...	£1/6/0	
Nickel plated brass ...	£1/12/6	
Chromium plated brass	£1/12/6	
Polished aluminium ...	£1/12/6	
Cistern and Brackets :		
Ware	£1/15/3	£1/12/0
Fittings	£1/11/6	
Flush pipe	4/–	
Exposed Brasswork to Cistern :		
Nickel plated ... ... Chromium plated ...	No Extra.	

No. 1977L. For prices see page 77.

Page 48. No. 492.

	White In and Out.	
	Selected.	Unselected.
Sink and inserta ...	£6/10/11	£5/19/0

For prices of Fittings see page 47.

Page 49. No. 4338.

	Selected.	Unselected.
Sink, supports and inserta	£9/12/6	£8/15/0
Porcelain enamelled outlet grid	2/6	
Bucket Grating :		
Galvanized iron ...	£1/0/0	
Polished brass ...	£1/6/0	
Nickel plated brass ...	£1/12/6	
Chromium plated brass	£1/12/6	
Polished aluminium ...	£1/12/6	
Cistern and Brackets :		
Ware	£2/4/0	£2/0/0
Fittings	£1/12/6	
Flush pipe	4/–	
Exposed Brasswork to Cistern :		
Nickel plated ... ... Chromium plated ...	No Extra.	

No. 1997L. For prices see page 77.

Page 50.

		WHITE IN AND OUT.	
		Selected.	Unselected.
No. 4306.	Sink and inserta ...	£21/4/11	£19/6/3
No. 4306A.	... ...	£18/17/11	£17/3/6
No. 4307.	... ...	£21/4/11	£19/6/3
No. 4307A.	... ...	£18/17/11	£17/3/6
	Pedestal support ...	£1/2/0	£1/1/0
	Porcelain enamelled outlet grid	2/6	
	Waste fitting to wash-up sink :		
	Polished brass	3/6	
	Nickel plated	4/6	
	Chromium plated ...	4/6	
	Polished W.M. ...	6/-	
	Bucket Grating :		
	Galvanized iron ...	£1/0/0	
	Polished brass ...	£1/6/0	
	Nickel plated brass ...	£1/12/6	
	Chromium plated brass	£1/12/6	
	Polished aluminium ...	£1/12/6	
	Cistern and Brackets :		
	WARE	£1/15/3	£1/12/0
	FITTINGS	£1/11/6	
	Flush pipe	4/-	
	Exposed Brasswork to Cistern :		
	Nickel plated ... ... Chromium plated ...	No Extra.	

No. 1977L. For prices see page 77.

Page 51.

		Selected.	Unselected.
No. 4394.	Sink only	£9/10/7	£8/13/3
	Cistern, shell and cover	£2/4/0	£2/0/0
	Fittings	£8/12/9	

Page 52.

No. 700.	Sink only.	27″ × 20″	£11/19/7	£10/17/9
		27″ × 23″	£11/19/7	£10/17/9
	Fittings		£12/1/6	

Page 53.

No. 1140.	Sink only.	27″ × 20″	£11/19/7	£10/17/9
		27″ × 23″	£11/19/7	£10/17/9
	Fittings		£10/14/3	
If urine bottle spray and valve not required, ... *Deduct*			£2/1/3	

Page 54.

No. 699.	Sink only.	27″ × 20″	£11/19/7	£10/17/9
		27″ × 23″	£11/19/7	£10/17/9
	Drainer only.	30″ × 20″	£4/12/2	£4/3/9
		30″ × 23″	£4/12/2	£4/3/9
	Cistern, shell and cover		£2/4/0	£2/0/0
	Fittings		£9/4/3	

Page 55.

No. 1137.	Sink only.	48″ × 20″	£21/4/11	£19/6/3
		54″ × 23″	£24/10/1	£22/5/6
	Fittings		£13/9/6	

Page 56.

No. 1138A. Sink only.	48″ × 20″	£21/4/11	£19/6/3
	54″ × 23″	£24/10/1	£22/5/6
Drainer only.	48″ × 20″	£6/9/0	£5/17/3
	48″ × 23″	£7/7/5	£6/14/0
Cistern, shell and cover		£2/4/0	£2/0/0
Fittings		£14/6/0	
If with urine bottle spray and valve through end of sink, as shown with Nos. 1137, page 55 ... *Add*		£2/1/3	

Pages 57 and 58.

Bed Pan Washer, as illustrated ...	£65/11/3

Page 59.

		Selected.	Unselected.
No. 735.	Table only.	£26/2/10	£23/15/3
	Pedestals. Per Pair ...	£5/8/11	£4/19/0

Page 60.

No. 4418. Table only.	6′ 0″×2′ 0″	£26/2/10	£23/15/3
	6′ 6″×2′ 6″	£35/7/11	£32/3/6
Pedestals. Per Pair :	For 6′ 0″ table	£5/8/11	£4/19/0
	For 6′ 6″ table	£6/10/11	£5/19/0
Polished grating, polished pipe and stay		£3/5/0	
Polished grating, W.P.E. pipe and stay		£3/5/0	
Nickel plated grating, nickel plated pipe and stay		£3/12/6	
Nickel plated grating, W.P.E. pipe and stay		£3/6/6	
Chromium plated grating, chromium plated pipe and stay		£3/12/6	
Chromium plated grating, W.P.E. pipe and stay		£3/6/6	

Page 61.

No. 780.	Ware 6′ 0″ × 2′ 0″ ...	£37/0/7	£33/13/3
	6′ 6″ × 2′ 6″ ...	£46/5/8	£42/1/6
	Fittings	£29/3/6	

Page 62.

No. 781.	Ware 6′ 0″ × 2′ 0″ ...	£32/6/3	£29/7/6
	6′ 6″ × 2′ 6″ ...	£41/11/4	£37/15/9
	Fittings	£34/3/6	

Page 63.

No. 782.	Ware	£58/5/9	£52/19/9
	Fittings	£11/7/0	

Page 64.

No. 816 or 816B. Bath only ...	£6/12/3
No. 816A or 816C. Bath only ...	£7/8/3

		Pol. Brass.	N.P. Brass.	C.P. Brass.
No. 1569. Per Pair. M.O.H.	¾″	12/3	13/9	17/10
	1″	—	—	—
J.C.S.W.R.	¾″	13/6	15/–	19/1
	1″	£1/6/8	£1/9/9	£1/15/4
No. 1872. Waste with brass or glass enamelled trap.	1½″	10/–	10/8	12/6
	2″	18/2	19/5	£1/1/11
If without trap but with union for lead, *deduct* ...	1½″		6/3	
	2″		10/–	
No. 1873.	1¼″	1/3	1/6	2/3
	1½″	2/8	3/–	3/9

Page 65.

No. 817. Bath only.

Upstand at back and one end.	5′ 0″ inside	£8/3/0
	5′ 6″ inside	£8/7/6
Upstand at back and both ends.	5′ 0″ inside ...	£8/6/0
	5′ 6″ inside	£8/10/6
Upstand at back only. ...	5′ 0″ inside	£8/0/0
	5′ 6″ inside	£8/4/6
Front Panel.	W.P.E. Cast Iron	£4/10/0
	Enamelled Slate	£2/15/0
	Synthetic Marble	£2/0/0
End Panels. Each.	W.P.E. Cast Iron	£2/5/0
	Enamelled Slate	£1/5/0
	Synthetic Marble	18/6

For prices of Valves and Wastes see page 64.

Page 66.

No. 1832E. Bath only	£4/10/9
No. 1832. Bath only	£4/15/0
No. 1832A. Bath only	£5/10/0
No. 1832F. Bath only	£7/2/0

For prices of Fittings see page 64.

Page 67.

No. 1849A. Bath and feet only ...	£5/17/0
No. 1849B. Bath and feet only ...	£5/17/0
No. 1849. Bath and pedestals only	£7/4/0
No. 1849C. Bath and pedestals only	£7/4/0

For prices of Fittings see page 64.

Page 68.

No. 4398. Complete.	4′ 6″ inside	£17/7/3
	5′ 0″ inside	£17/7/3
	5′ 6″ inside	£17/12/3
If waste valve chromium plated, *add*		9/6

Page 70.

			Pol. Brass.	Pol. G.M.	N.P. Brass.	C.P. Brass.	Pol. W.M.
No. 1485B.	Each	½″ ...	£3/11/0	£3/18/0	£3/16/0	£4/2/0	£4/5/0
		¾″ ...	£5/10/0	£6/0/0	£5/17/0	£6/5/0	£6/10/0
		1″ ...	£8/10/0	£9/6/0	£8/18/0	£9/6/0	£10/0/0
		1¼″ ...	£10/10/0	£11/10/0	£11/0/0	£11/10/0	£12/10/0
No. 1742.	Each	½″ ...	£3/3/6	£3/6/6	£3/6/6	£3/18/0	£4/0/0
No. 2707.	Each	...	£5/1/0	£5/7/0	£5/7/0	£5/7/0	£5/18/0
No. 1743.	Each	½″ ...	£1/14/0	£1/17/6	£1/17/6	£1/17/6	£2/0/0
		¾″ ...	£2/13/0	£2/17/9	£2/17/9	£2/17/9	£3/4/6

Page 71.

	Pol. Brass.	Pol. G.M.	N.P. Brass.	C.P. Brass.	Pol. W.M.
No. 1863.	£4/5/0	£4/10/0	£4/10/0	£5/7/6	£5/7/6
No. 1865.	£2/14/0	£2/18/6	£2/18/6	£3/12/6	£3/12/6

Page 72.

No. 2702.	22″ × 18″	£1/2/3
	25″ × 18″	£1/3/6
	27″ × 18″	£1/5/6
No. 2703.	18″ × 5″	9/6
	20″ × 5″	10/-
	24″ × 5″	10/6
	27″ × 5″	11/-
No. 2704.	22″ × 30″	£2/4/6
	25″ × 30″	£2/7/0
	27″ × 30″	£2/8/6
Plain White Opal Splash Backs with chromium plated screws. No shelf.		
	22″ × 18″	12/3
	25″ × 18″	13/-
	27″ × 18″	14/-
White Opal Shelf on chromium plated brackets.		
	18″ × 5″	9/6
	20″ × 5″	10/-
	24″ × 5″	10/6
	27″ × 5″	11/-

Page 73.

	Bakelite.	Ebonite.
No. 2070.	11/6	£1/12/6
No. 2071.	17/9	£2/5/0

Page 74. Nos. 1982A, 1984A and 1984.	1½″	2″
Polished brass	3/6	5/6
Nickel plated brass	4/6	7/3
Chromium plated brass	4/6	7/3
Polished W.M.	6/-	9/-
	Selected.	Unselected.
No. 1694.	11/6	10/6
No. 1695.	7/2	6/6
No. 1701.	5/3	4/10

Page 75. No. 1494.	1½″	2″
Painted iron	5/-	7/-
Galvanized iron	6/3	9/3
Glass enamelled inside	6/3	9/3
Porcelain enamelled iron	11/6	19/3
No. 1495.		
Unpolished brass	7/3	12/9
Polished brass	11/6	19/3
Nickel plated brass	11/6	19/3
Chromium plated brass	11/6	19/3
Polished W.M.	13/9	£1/3/0
No. 1989.		
Polished brass	2/3	
Nickel plated brass	2/9	
Chromium plated brass	2/9	
Polished W.M.	3/3	
No. 1981.		
Polished brass	£1/3/6	£1/11/6
Nickel plated brass	£1/3/6	£1/11/6
Chromium plated brass	£1/3/6	£1/11/6
Polished W.M.	£1/7/0	£1/15/9

Page 75 (*Continued*).

No. 1469. Up to 27″ centres with trap at end and straight pipe to each sink.

	Painted.	Galvd.	G.E. Inside.	W.P.E.
Per range of 2	£1/11/0	£1/19/0	£2/5/0	£3/15/0
Per sink extra	9/6	14/-	16/-	£1/5/0
With bend at end and trap to each sink.				
Per range or 2	£1/13/0	£2/1/0	£2/8/0	£3/13/6
Per sink extra	14/9	£1/0/3	£1/3/6	£1/14/0

		Galvd.	W.P.E.
No. 1499.	1½″	4/9	13/6
	2″	8/3	£1/2/6
No. 1499A.	1½″	4/9	13/6
	2″	8/3	£1/2/6

Page 76. No. 1818, 1818B or 1818A.

		Painted.	Galvd.	W.P.E.
For sink up to 18″ wide	Per pair	2/9	4/-	6/6
For sink above 18″ wide up to 21″ wide	Per pair	3/6	6/-	9/-
For sink 22″ wide and over	Per Pair	5/6	10/6	18/-
No. 1800	Per pair	8/-	10/-	15/-
No. 2017.	Per Pair	18/-	£1/7/0	£1/18/0

Page 77.

		Pol. Brass.	N.P. Brass.	C.P. Brass.
No. 86L.	½″	3/-	3/6	5/6
	¾″	4/9	5/9	8/3
Boss for lead.—No Extra.				
No. 1977L.	½″	6/6	7/9	10/-
	¾″	9/-	11/-	14/9
No. 89.	½″	4/-	4/9	7/-
	¾″	6/-	7/3	10/-
No. 87.	½″	4/-	4/9	7/-
	¾″	6/-	7/3	10/-
No. 90.	½″	10/6	11/9	14/-
	¾″	13/-	15/-	18/9
No. 1374.	½″	£2/19/3	£3/4/9	£3/11/3
	¾″	£4/5/3	£4/13/3	£5/1/9

NOTE REGARDING QUALITIES.

"SELECTED" quality represents the best possible selection, but absence of minor imperfections is not guaranteed. "UNSELECTED" quality is the Standard Commercial Grade and includes ware with unavoidable manufacturing imperfections provided they do not seriously affect the appearance when installed.

NOTE REGARDING FITTINGS.

The Fittings included throughout this catalogue are of our Standard Quality and pattern. Should it be necessary, owing to Special Regulations of Local Water Companies, etc., or for any other reason, to supply special fittings, with Water Co.'s stamp impressed or otherwise, an extra charge will be involved.

ROYAL
Doulton
LONDON

ROYAL
Doulton
LONDON

ROYAL
Doulton
LONDON

ROYAL
Doulton
LONDON